

HOME

PODCASTS

FULL MEASURE

CENSORED

DONATE

BESTSELLER "SLANTED": ORDER HERE

SHARYL ATTKISSON

UNTOUCHABLE SUBJECTS. FEARLESS, NONPARTISAN REPORTING.

US

WORLD

BUSINESS

HEALTH

SPECIAL INVESTIGATIONS

(UPDATED) Exclusive Summary: Covid-19 Vaccine Concerns

DATED: OCTOBER 10, 2021 BY SHARYL ATTKISSON — 264 COMMENTS



- Updated Oct. 10, 2021 with Iceland pausing Moderna over increased heart problems
- Updated Oct. 8, 2021 with Vietnam study about vaccinated people carrying more Delta viral load, spreading Covid
- Updated Oct. 7, 2021 with Finland pausing Moderna vaccine for young males due to heart issues.
- Updated Oct. 6, 2021 with Sweden and Denmark halting Moderna in young people due to risk of heart injuries. Slovenia suspends Johnson & Johnson.
- Updated Oct. 4, 2021 with study about vaccine immunity quickly wearing off
- Updated Oct. 3, 2021 with EU blood disorder concerns and Hepatitis C death
- Updated Sept. 19, 2021 with British study about menstrual cycle changes in women
- Updated Sept. 12, 2021 with study finding teenage boys face much higher heart risk from vaccine than Covid
- Updated Sept.10,2021 with Israel study on majority of hospitalized being vaccinated
- Updated Sept. 9, 2021 with CDC study about increased myocarditis/heart inflammation risk, lymphadenopathy, appendicitis, and herpes zoster infection
- Updated Sept. 4, 2021 with acute CNS demyelination after Pfizer and Moderna vaccines
- Updated Aug. 30, 2021 with Functional Neurological Disorder
- Updated Aug. 24, 2021 with waning immunity

- Updated Aug. 17, 2021 with Bell's Palsy analysis, Hong Kong
- Updated Aug. 16, 2021 with Antibody Dependent Enhancement (ADE) study
- Updated Aug. 5, 2021 with heart disorders more common than CDC reported from database
- Updated July 22, 2021 with EU warning about Guillain-Barre autoimmune paralysis after Johnson and Johnson vaccination.
- Updated July 12, 2021 with new FDA warning of Guillain-Barre autoimmune paralysis cases after vaccination.
- Updated July 12, 2021 with reports of Graves disease autoimmune disorder after vaccination.
- Updated July 1, 2021 with reports of Guillain-Barre paralysis cases after vaccination.
- Updated June 30, 2021 with news of first case of blood clot disorder in double-dose RNA vaccine.

If you find yourself confused about the mixed guidance when it comes to Covid-19 vaccines and safety concerns, you're not alone.

While the Centers for Disease Control (CDC) is marketing widespread use of the emergency-use vaccines in the U.S. for both old and young alike, many other countries are limiting Covid-19 vaccine use. Health officials around the world are giving varying advice on safety issues as Covid-19 vaccines are given to more people, and more information can be collected.

[Read CDC's information here.](#)

Below are summaries of some of the concerns that have emerged or been raised by medical officials.

[Click here to jump to: Summary by safety concern](#)

[Click here to jump to: Summary by vaccine](#)

[Click here to jump to: Summary by country](#)

[Click here to jump to: Additional reading and studies](#)

Summary by safety concern

General

In the UK, some scientists [analyzed](#) adverse event reports and called upon the Medicines and Healthcare Products Regulatory Agency to stop the Covid-19 vaccines as "not safe for human use" due to reports of issues with bleeding/clotting, pain, immune system, neurological, loss of sight/hearing/smell/speech, and questions about impact in pregnant women.

A petition of scientists led by [Linda Wastila](#), Professor, Pharmaceutical Health Services Research University of Maryland School of Pharmacy is calling for Covid-19 vaccines to be disapproved.

Fifty-seven authors from 17 countries have signed an endorsement urging that Covid-19 vaccinations [be stopped](#) unless new safety mechanisms are immediately implemented.

The authors include Dr. Peter McCullough, cardiologist and former Vice Chief of Medicine at Baylor University Medical Center in Dallas, Texas, who has [called for a halt](#) to vaccinating 30-year olds due to "no clinical benefit" and safety concerns. [McCullough is currently Senior Professor of Internal Medicine at the Texas A&M University Health Sciences Center.]

- [Covid-19 Natural Immunity: The Definitive Summary](#)
- [Covid-19 Vaccine: 80 of the Most Common Adverse Events](#)
- [Covid-19 Vaccine Concerns Summary](#)
- [Covid-19 Vaccine Analysis: Common Adverse Events](#)
- [Covid-19 Origins: Separating Rumor from Fact \(WATCH\)](#)
- [Report a Possible Vaccine Adverse Event](#)

Hepatitis C Reactivation and Death

Update Oct. 3, 2021: Scientists in [the Netherlands](#) report an elderly woman suffered "reactivation of hepatitis C infection after vaccination with the mRNA-based Pfizer–BioNTech COVID-19 vaccine. This reactivation manifested with jaundice, loss of consciousness, hepatic coma and death" suggesting "a need for critical consideration of individuals with prior HCV infection and considered for COVID-19 vaccination."

According to the scientists, "It is known for other vaccines that they can cause virus reactivation, especially in immunosuppressed patients and patients undergoing cancer treatment, eg as described for the herpes zoster subunit vaccine."

Herpes Zoster Infection

Updated Sept. 9, 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with an increased risk of herpes zoster infection, according to a real-world case-control [study from Israel](#).

Updated Oct. 3, 2021: An original analysis of adverse events I conducted of the federal Vaccine Adverse Event Reporting (VAERS) showed 6,339 herpes-related reports.

Menstrual Cycle Changes

Updated Sept. 19, 2021: All brands of Covid-19 vaccines are associated in changes in menstrual cycles of women, according to a [British study](#).

“ Biologically plausible mechanisms linking immune stimulation with menstrual changes include immunological influences on the hormones driving the menstrual cycle or effects mediated by immune cells in the lining of the uterus, which are involved in the cyclical build-up and breakdown of this tissue. Research exploring a possible association between covid-19 vaccines and menstrual changes may also help understand the mechanism.

Menstrual changes after covid-19 vaccination

Lymphadenopathy

Updated Sept. 9, 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with an increased risk of lymphadenopathy, swelling or inflammation of lymph nodes according to a real-world case-control [study from Israel](#).

Appendicitis

Updated Sept. 9, 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with increased risk of appendicitis, according to a real-world case-control [study from Israel](#).

Acute CNS Demyelination and Multiple Sclerosis

A new study in [Journal of Neurology](#) examines possible links between Pfizer and Moderna vaccines, and acute Central Nervous System (CNS) demyelination, including Multiple Sclerosis (MS).

Demyelinating diseases damage the protective covering surrounding nerve fibers in the brain, optic nerves and spinal cord, causing neurological problems. In the study, four patients had the Pfizer vaccine and three had the Moderna vaccine. Within 21 days of the first or second dose, the patients developed active CNS demyelination of the optic nerve, brain, and/or spinal cord leading to "visual loss, dysmetria, gait instability, paresthesias, sphincter disturbance, and limb weakness."

Age ranged from 24 to 64 years old. Four patients were ultimately diagnosed with exacerbation of their stable MS.

Two were diagnosed with new cases of MS.

One was diagnosed with neuromyelitis optica.

Functional Neurological Disorder (FND)

Researchers in the United Kingdom are studying [two additional cases](#) of Functional Neurological Disorder (FND) in women in their 30s after receiving Covid-19 vaccines.

FND is a neurological disorder involving malfunctioning of the nervous system and how the brain and body transmit signals. Symptoms can include limb weakness, paralysis, tremor, spasms, problems walking, speech problems, tingling, vision loss, seizures, fatigue, anxiety, chronic pain, memory symptoms, and blackouts.

An analysis of Covid-19 vaccine adverse events showed [hundreds of thousands of reports](#) of such symptoms.

- [Covid-19 Natural Immunity: The Definitive Summary](#)
- [Covid-19 Vaccine: 80 of the Most Common Adverse Events](#)
- [Covid-19 Vaccine Concerns Summary](#)
- [Covid-19 Vaccine Analysis: Common Adverse Events](#)
- [Covid-19 Origins: Separating Rumor from Fact \(WATCH\)](#)
- [Report a Possible Vaccine Adverse Event](#)

In January, videos showing vaccine patients suffering such symptoms were treated by media outlets such as [Wired](#) as if they were fake news and "dangerous" misinformation.

In fact, the videos garnered the attention of scientists who investigated and concluded they were early warnings of what happens to some who get Covid-19 vaccines.

The newest cases are outlined in the journal [NeuroPsychiatry](#) and include:

- A 38-year old woman who got her first dose of Pfizer's vaccine and quickly developed weakness around her ear, mouth, left arm and leg. She went to the ER the next day and was diagnosed with Bell's palsy or a transient ischemic attack. Problems continued months later, including memory issues, and she was diagnosed with FND.
- A 36-year-old woman who got her second dose of Moderna and quickly noticed weakness in right hand and right leg limping. A day later she reported severe leg

heaviness, fatigue, movement difficulties. After physical therapy her right-side weakness improved but she awoke weeks later with left-side weakness, tightness and heaviness in neck, difficulties with daily living, rapid muscle fatigue, dragging right foot, and tremor. She was diagnosed with FND.

Antibody Dependent Enhancement (ADE)

Updated ([read more here](#)). According to studies:

- Antibody Dependent Enhancement (ADE) can make vaccinated people more susceptible to serious infection from the virus
- "ADE may be a concern" for those who have been vaccinated for Covid-19
- With ADE, after people get vaccinated for an initial virus, infection by a subsequent variant or strain of the virus can result in "increased viral replication and more severe disease, leading to major safety risks"
- ADE can also "occur when neutralizing antibodies (which bind the virus and stop it from causing infection) are present at low enough levels that they don't protect against infection. Instead, they can form **immune complexes** with viral particles, which in turn leads to worse illness"
- This concern was initially described by some scientists who were subsequently banned from media platforms that incorrectly claimed the scientists were disseminating disinformation

Guillain-Barre syndrome autoimmune paralysis

Update July 22, 2021: The European Union added Guillain-Barré syndrome, an autoimmune paralysis disorder, as a possible side effect from Johnson and Johnson's Covid-19 vaccine.

Update July 12, 2021: The FDA **added warnings** about Guillain-Barre autoimmune paralysis, in which the immune system attacks the body's nerves, after Johnson and Johnson vaccine. According to reports, the cases have primarily been reported about two weeks after vaccination, mostly in men, and "any aged 50 and older."

Numerous case reports of Guillain-Barre syndrome paralysis after Covid-19 vaccine have prompted scientists to warn that "all physicians" should be "vigilant in recognizing Guillain-Barré syndrome in patients who have received the AstraZeneca vaccine... our observations suggest that this clinically distinct [Guillain-Barré syndrome] variant is more severe than usual and may require **mechanical ventilation**." In the **U.K.**, scientists flagged "bifacial weakness and normal facial sensation in four men between 11 and 22 days after their first doses of the AstraZeneca vaccine." **A case** has also been reported in a patient who got the Pfizer vaccine. In India, there are **reports** of seven severe cases of Guillain-Barré syndrome 10 to 14 days after the first dose of AstraZeneca's vaccine. Six were women, all had facial paralysis, "all progressed to quadriplegia, and six required respiratory support. Patients' ages ranged from 43 to 70. Four developed other cranial neuropathies, including abducens palsy and trigeminal sensory nerve involvement."

Guillain-Barre syndrome has been reported after other vaccinations. The cause is believed to be damage to the immune system. The disorder can be extremely serious and can lead to total paralysis with dependence on artificial respiration. Even those who recover may have serious muscle wasting and may have to slowly teach the body to relearn most every normal task, such as walking. One in 20 cases is fatal.

Bell's Palsy

Updated Aug. 17: An **analysis** in Hong Kong shows risk of Bell's palsy is higher with CoronaVac (Sinovac Biotech) shot, a vaccine formulation not currently used in U.S. Bell's palsy is **facial**

[paralysis](#), muscle twitching, or weakness. It may include change in [taste](#), and pain around the ear, increased sensitivity to sound known as [hyperacusis](#). An [adverse event analysis](#) of U.S. reports shows 4,154 Bell's Palsy after Covid-19 vaccination.

Heart Issues

Updated Oct. 10, 2021: Iceland joins Finland, Sweden and Denmark in [pausing Moderna](#) due to increased heart issues such as myocarditis and pericarditis. While some of the countries are permitting Moderns in people over age 30, Iceland is not permitting its use at all, currently.

Updated Oct. 7, 2021: [Finland](#) joins Sweden and Denmark in pausing use of Moderna in men 30 and under due to heart issues after a Nordic study found that men under the age of 30 were at a higher risk of developing myocarditis, an inflammation of the heart muscle.

Updated Oct. 6, 2021: [Sweden](#) and [Denmark](#) have halted use of Moderna in people under age 30 due to increased risk of heart injuries such as myocarditis. [Slovenia](#) has temporarily halted Johnson & Johnson.

Updated Sept. 9, 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with a threefold increased risk of myocarditis, according to a real-world case-control [study from Israel](#). "Vaccination had a strong association with an increased risk of myocarditis as well as increased risks of lymphadenopathy [swelling or inflammation of lymph nodes], appendicitis, and herpes zoster infection."

The Food and Drug Administration has added a new [warning](#) to Pfizer and Moderna Covid-19 vaccines about risk of heart inflammation.

As of June of 2021, CDC said that more than 1,200 cases of [heart inflammation](#) (myocarditis or pericarditis) in young people had been reported after Pfizer and Moderna Covid-19 vaccination.

- More than half were after the second dose.
- Most of the injuries are in males under age 30.

Updated Aug. 4: A [new, independent study](#) of medical records found the incidences of myocarditis and pericarditis are more than five times more common than CDC reported.

The Israeli Ministry of Health announced it's monitoring for heart inflammation after Pfizer's vaccine due to reports of problems.

[Myocarditis](#) and Other Cardiovascular Complications of the mRNA-Based COVID-19 Vaccines [Pfizer-BioNTech, Moderna] in a number of patients are described in a [scientific article](#):

- Two patients with clinically suspected myocarditis
- One patient with stress cardiomyopathy
- Two patients with pericarditis

According to the research:

- The two patients with clinically suspected myocarditis were otherwise healthy young men who presented with acute substernal chest pressure and/or dyspnea after receiving the second dose of the vaccine and were found to have diffuse ST elevations on electrocardiogram (ECG), elevated cardiac biomarkers and inflammatory markers, and mildly reduced left ventricular (LV) function on echocardiography. Both patients met the modified Lake Louise Criteria for acute myocarditis by cardiac magnetic resonance imaging.

- A case of stress cardiomyopathy occurred in a 60-year-old woman with known coronary artery disease (CAD) and previously normal LV function, who presented with new exertional symptoms, ECG changes, and apical akinesis following the second dose of the vaccine.
- The two patients with pericarditis who presented with chest pain, elevated inflammatory markers, and pericardial effusions after receiving the vaccine.

Updated Sept. 9, 2021: An August 10 [study](#) in JAMA Cardiology confirms the previously identified Pfizer vaccine's myocarditis (heart inflammation) risk in young boys.

[Read the study here.](#)

Updated Sept. 12, 2021: A [study](#) of Pfizer and Moderna vaccines finds teenage boys are six times more likely to suffer heart issues from Covid-19 vaccination than from Covid. (However, in both instances, the risk is considered slight.)

Blood Clots and Blood Disorders

Updated Oct. 6, 2021: [Slovenia](#) has temporarily halted Johnson & Johnson vaccine after a stroke death in a 20 year old woman.

In late June, the first case of a blood clot disorder called "thrombosis with thrombocytopenia" after an RNA double-dose vaccine was been reported in the Annals of Internal Medicine. The case was that of a 65-year-old man who developed symptoms ten days after his second dose of the Moderna vaccine. Because the blood clot disorder was not previously warned about in the Moderna and Pfizer vaccines, doctors treated the patient with heparin, the very drug that's not supposed to be used in post-vaccine patients suffering from the disorder because it could actually worsen the condition.

The Johnson and Johnson Covid-19 vaccine was temporarily removed from the market in the U.S. on April 16, 2021 while health officials studied reports of blood clot injuries. Among them was an 18-year old teen named [Emma Burkey](#), who got sick about a week after the Johnson and Johnson Covid-19 vaccine and ended up having three brain surgeries related to blood clots and seizures.

[Read: BBC radio news anchor dies of blood clots after Covid vaccine](#)

The Johnson and Johnson vaccine was allowed back on the market April 27, 2021 with [new warnings](#) about the disorder.

Swedish health officials determined that people under age 65 should not get the Johnson and Johnson vaccine due to reports of blood clots.

An editorial published in the Journal of the American Medical Association recommended women under age 50 avoid the Johnson and Johnson Covid-19 vaccine due to concerns about [blood clots](#). The recommendation discussed 12 case reports of a blood disorder known as [cerebral venous sinus thrombosis](#) (CVST) with thrombocytopenia following the Johnson and Johnson vaccine.

The AstraZeneca Covid-19 vaccine (not currently approved in the U.S.) has been linked to a dangerous disorder involving [blood clots](#) with low blood platelets. On April 7, 2021, the European Medicines Agency says it made the association after it analyzed 62 cases of cerebral venous sinus thrombosis and 24 cases of splanchnic vein thrombosis reported in the EU drug safety database ([EudraVigilance](#)) as of March 22, 2021; 18 of which were fatal.

An otherwise healthy South Florida doctor, Gregory Michael, died of a brain hemorrhage 16 days after he got Pfizer's Covid-19 vaccine. Authorities concluded he died of a blood disorder called "immune thrombocytopenia" (ITP) that can prevent blood from clotting and cause internal bleeding. His wife said a blood test showed the level of his platelets to be at "zero." She said before the shot, Dr. Michael had "absolutely no medical issues" and no underlying conditions. However, authorities later categorized his death as "natural."

In Spain, the AstraZeneca shot has been restricted in people under age 60 due to reports of blood clots in younger people.

Bulgaria, Iceland and Norway halted AstraZeneca shots for a time due to blood issues or impact on frail. Iceland, and possibly others, reinstated it in people over age 70 and, perhaps, in some over age 60.

Austria, Italy and Romania banned certain "lots" or batches of the AstraZeneca shots.

Denmark stopped using the AstraZeneca Covid-19 vaccine altogether as well as the Johnson and Johnson vaccine after investigations into blood clots, saying "the benefits of using the COVID-19 vaccine from Johnson & Johnson do not outweigh the risk of causing the possible adverse effect in those who receive the vaccine."

The Italian government recently restricted AstraZeneca Covid-19 vaccine to adults over age 60 after a teenager who got the shot died from a rare form of blood clotting. Eighteen-year-old Camilla Canepa died after getting vaccinated May 25, 2021.

Several other European countries have also stopped giving the AstraZeneca Covid-19 vaccine to people below a certain age, usually ranging from 50 to 65.

Updated Sept. 9, 2021: An August 10 [study in JAMA Cardiology](#) urged caution in giving Covid-19 vaccine to certain high risk patients due to the vaccine link to a serious blood disorder: thrombocytopenia with thrombosis. "One of the devastating manifestations of this syndrome, termed *vaccine-induced immune thrombotic thrombocytopenia (VITT)*, is cerebral venous sinus thrombosis (CVST)," say the study authors. The link involves the AstraZeneca/Oxford and Johnson & Johnson vaccines, according to the study. The AstraZeneca vaccine is not administered in the U.S. currently.

[Read the study here.](#)

[Read about a case of VITT in an otherwise healthy mother who died after vaccination.](#)

Updated Oct. 3, 2021: The European Medicines Agency recommended that blood clotting in deep veins and immune thrombocytopenia (ITP), a bleeding disorder caused by the body mistakenly attacking platelets, be added as adverse reactions to Johnson and Johnson vaccine. The ITP disorder is also linked to the AstraZeneca Covid-19 vaccines, which are not used in the U.S.

Graves disease autoimmune disorder

Studies in Mexico and Turkey link the autoimmune thyroid disorder Graves disease to Covid-19 vaccination in numerous female health care workers, including two who were breastfeeding. Pfizer-BioNTech was the vaccine given in Mexico. A Chinese vaccine was given in Turkey. Read more at the link below.

<https://sharylattkisson.com/2021/07/two-studies-covid-19-vaccines-trigger-graves-disease-in-some-female-health-care-workers/>

Frail, elderly

Health officials in Norway sounded the alarm after 23 patients died shortly after getting the Pfizer Covid-19 vaccine. They advise doctors to use caution in administering the shot to "very frail elderly patients."

After investigating 13 of the deaths, the Norwegian authorities concluded that common side effects from so-called "RNA" vaccines may be too much for a frail elderly person to handle, and may contribute to their death.

"There is a possibility that these common adverse reactions, that are not dangerous in fitter, younger patients and are not unusual with vaccines, may aggravate underlying disease in the elderly," said Steinar Madsen, medical director of the Norwegian Medicines Agency.

CDC said it is monitoring the impact of the vaccines on already-frail patients such as the chronically ill in nursing homes.

Several clusters of elderly patients in U.S. nursing homes died after Pfizer or Moderna Covid-19 vaccine. In one group, a number of the patients who died tested positive for Covid-19 after vaccination.

Pregnant women

Several Brazilian states suspended use of AstraZeneca's Covid-19 vaccine for pregnant women in May 2021 after a pregnant woman died after getting vaccinated. The decisions follow the recommendation of the country's National Health Surveillance Agency, which recommended "immediate suspension" of the AstraZeneca Covid-19 vaccine for pregnant women after results of vaccine adverse events monitoring in the country.

CDC says that with limited data on impact of Covid-19 vaccine in pregnant women and on their unborn children, the decision on whether to vaccinate while pregnant is an individual decision to be made between a woman and her physician.

Previously-infected

CDC falsely claimed that studies showed Covid-19 vaccines are effective for those who already had Covid-19. In fact, studies showed the opposite.

Manufacturing problems

On June 11, the European Union's drug regulator announced it will not use batches of the Johnson & Johnson COVID-19 vaccine that were made at a Baltimore, Maryland-based plant around the time that cross-contamination manufacturing problems were reported at the facility.

Anonymous sources claimed that up to 60 million doses of the Johnson and Johnson vaccine had to be thrown out. But the FDA issued a news release saying that two batches from the Baltimore plant were safe to use. The FDA said "several other batches are not suitable for use, but additional batches are still under review."

Waning immunity, Breakthrough Infections

Updated Oct. 13, 2021: Data from the UK finds vaccines are "highly effective," but effectiveness wanes after as little as 3-4 months.

Update Oct. 8, 2021: A study of health care workers in **Vietnam** found vaccinated people infected with Delta Covid-19 carry "unusually high viral loads" in their nostrils that are "251 times higher." The study said that during a period when the vaccinated patients are infected but don't yet know it, they could be responsible for heightened spread to other vaccinated or the unvaccinated. The subjects had been fully vaccinated with AstraZeneca's vaccine, which is not used in the U.S.

Israel announced that about half of the adults infected with Covid-19 during its outbreak in the June 2021 time period were fully vaccinated. The fully-vaccinated individuals had gotten Pfizer's shots.

According to Epoch Times, in June 2021 **nearly 4,000 fully vaccinated** people in Massachusetts tested positive for Covid-19. On April 30, "the CDC reported that some 10,626 breakthrough cases were reported in 46 states and territories." Breakthrough cases are where fully vaccinated people still end up infected with Covid-19.

Scientists hoped that Covid-19 vaccines would be effective in variants of Covid-19, which are mutations that occur naturally with viruses and were always expected with Covid-19. However, the vaccine effectiveness against variants may be limited. CDC and vaccine makers are studying the medical landscape to find out more.

Other states, such as **Maine**, are noting Covid-19 deaths occurring in fully vaccinated people.

Update Aug. 24, 2021: With evidence of seriously-waning immunity at the five- to six-month mark, CDC is now recommending a third "booster" shot. In highly-vaccinated **Israel**, recognition that vaccination likely does not confer protection beyond a few months, the country has reimagined its vaccine passports. They will only apply to people who have had three shots, and only be good for a six month period of time.

Update Sept. 10, 2021: An **analysis of data** in Israel, which has one of the world's highest Covid-19 vaccination levels, showed almost 60% of those hospitalized for Covid were fully vaccinated. "This is a very clear warning sign for the rest of the world," said Ran Balicer, CIO at Clalit Health Services, Israel's largest health maintenance organization. "If it can happen here, it can probably happen anywhere." The Pfizer vaccine is given in Israel.

Update Oct. 4, 2021: A **study** by university and NIH scientists in the U.S. finds Pfizer vaccine antibodies disappear after about 7 months in many patients.

Summary by vaccine

Pfizer and Moderna

Menstrual Cycle Changes

Updated Sept. 19, 2021: All brands of Covid-19 vaccines are associated in changes in menstrual cycles of women, according to a [British study](#).

“ Biologically plausible mechanisms linking immune stimulation with menstrual changes include immunological influences on the hormones driving the menstrual cycle or effects mediated by immune cells in the lining of the uterus, which are involved in the cyclical build-up and breakdown of this tissue. Research exploring a possible association between covid-19 vaccines and menstrual changes may also help understand the mechanism.

Menstrual changes after covid-19 vaccination

Acute CNS Demyelination and Multiple Sclerosis

A new study in [Journal of Neurology](#) examines possible links between Pfizer and Moderna vaccines, and acute Central Nervous System (CNS) demyelination, including Multiple Sclerosis (MS).

Demyelinating diseases damage the protective covering surrounding nerve fibers in the brain, optic nerves and spinal cord, causing neurological problems. In the study, four patients had the Pfizer vaccine and three had the Moderna vaccine. Within 21 days of the first or second dose, the patients developed active CNS demyelination of the optic nerve, brain, and/or spinal cord leading to "visual loss, dysmetria, gait instability, paresthesias, sphincter disturbance, and limb weakness."

Age ranged from 24 to 64 years old. Four patients were ultimately diagnosed with exacerbation of their stable MS.

Two were diagnosed with new cases of MS.

One was diagnosed with neuromyelitis optica.

Waning Immunity, Breakthrough Infections

Updated Oct. 13, 2021: Data [from the UK](#) finds vaccines are "highly effective," but effectiveness wanes after as little as 3-4 months.

Update Oct. 4, 2021: A [study](#) by university and NIH scientists in the U.S. finds Pfizer vaccine antibodies disappear after about 7 months in many patients.

Update Aug. 24, 2021: With evidence of seriously-waning immunity at the five- to six-month mark, CDC is now recommending a third "booster" shot. In highly-vaccinated [Israel](#), recognition that vaccination likely does not confer protection beyond a few months, the country has reimagined its vaccine passports. They will only apply to people who have had three shots, and only be good for a six month period of time.

Update Sept. 10, 2021: An [analysis of data](#) in Israel, which has one of the world's highest Covid-19 vaccination levels, showed almost 60% of those hospitalized for Covid were fully vaccinated. "This is a very clear warning sign for the rest of the world," said Ran Balicer, CIO at Clalit Health Services, Israel's largest health maintenance organization. "If it can happen here, it can probably happen anywhere." The Pfizer vaccine is given in Israel.

Functional Neurological Disorder (FND)

Updated Aug. 30, 2021: Researchers in the United Kingdom are studying [two additional cases](#) of Functional Neurological Disorder (FND) in women in their 30s after receiving Covid-19 vaccines.

FND is a neurological disorder involving malfunctioning of the nervous system and how the brain and body transmit signals. Symptoms can include limb weakness, paralysis, tremor, spasms, problems walking, speech problems, tingling, vision loss, seizures, fatigue, anxiety, chronic pain, memory symptoms, and blackouts.

An analysis of Covid-19 vaccine adverse events showed [hundreds of thousands of reports](#) of such symptoms.

In January, videos showing vaccine patients suffering such symptoms were treated by media outlets such as [Wired](#) as if they were fake news and "dangerous" misinformation.

In fact, the videos garnered the attention of scientists who investigated and concluded they were early warnings of what happens to some who get Covid-19 vaccines.

The newest cases are outlined in the journal [Neurology](#) and include:

- A 38-year old woman who got her first dose of Pfizer's vaccine and quickly developed weakness around her ear, mouth, left arm and leg. She went to the ER the next day and was diagnosed with Bell's palsy or a transient ischemic attack. Problems continued months later, including memory issues, and she was diagnosed with FND.
- A 36-year-old woman who got her second dose of Moderna and quickly noticed weakness in right hand and right leg limping. A day later she reported severe leg heaviness, fatigue, movement difficulties. After physical therapy her right-side weakness improved but she awoke weeks later with left-side weakness, tightness and heaviness in neck, difficulties with daily living, rapid muscle fatigue, dragging right foot, and tremor. She was diagnosed with FND.

Antibody Dependent Enhancement (ADE)

Updated ([read more here](#)). According to studies:

- *Antibody Dependent Enhancement (ADE) can make vaccinated people more susceptible to serious infection from the virus*
- *"ADE may be a concern" for those who have been vaccinated for Covid-19*

- *With ADE, after people get vaccinated for an initial virus, infection by a subsequent variant or strain of the virus can result in "increased viral replication and more severe disease, leading to major safety risks"*
- *ADE can also "occur when neutralizing antibodies (which bind the virus and stop it from causing infection) are present at low enough levels that they don't protect against infection. Instead, they can form **immune complexes** with viral particles, which in turn leads to worse illness"*
- *This concern was initially described by some scientists who were subsequently banned from media platforms that incorrectly claimed the scientists were disseminating disinformation*

Guillain-Barre autoimmune paralysis

Numerous case reports of Guillain-Barre syndrome paralysis after Covid-19 vaccine have prompted scientists to warn that "all physicians" should be "vigilant in recognizing Guillain-Barre syndrome in patients who have received the AstraZeneca vaccine... our observations suggest that this clinically distinct [Guillain-Barré syndrome] variant is more severe than usual and may require **mechanical ventilation**." In the **U.K.**, scientists flagged "bifacial weakness and normal facial sensation in four men between 11 and 22 days after their first doses of the AstraZeneca vaccine." **A case** has also been reported in a patient who got the Pfizer vaccine. In India, there are **reports** of seven severe cases of Guillain-Barré syndrome 10 to 14 days after the first dose of AstraZeneca's vaccine. Six were women, all had facial paralysis, "all progressed to quadriplegia, and six required respiratory support. Patients' ages ranged from 43 to 70. Four developed other cranial neuropathies, including abducens palsy and trigeminal sensory nerve involvement."

Guillain-Barre syndrome has been reported after other vaccinations. The cause is believed to be damage to the immune system. The disorder can be extremely serious and can lead to total paralysis with dependence on artificial respiration. Even those who recover may have serious muscle wasting and may have to slowly teach the body to relearn most every normal task, such as walking. One in 20 cases is fatal.

Blood Clots

In late June, the first case of a blood clot disorder called "thrombosis with thrombocytopenia" after an RNA double-dose vaccine was been reported in the Annals of Internal Medicine. The case was that of a 65-year-old man who developed symptoms ten days after his second dose of the Moderna vaccine. Because the blood clot disorder was not previously warned about in the Moderna and Pfizer vaccines, doctors treated the patient with heparin, the very drug that's not supposed to be used in post-vaccine patients suffering from the disorder because it could actually worsen the condition.

Heart inflammation

Updated Oct. 10, 2021: Iceland joins Finland, Sweden and Denmark in **pausing Moderna** due to increased heart issues such as myocarditis and pericarditis. While some of the countries are permitting Moderns in people over age 30, Iceland is not permitting its use at all, currently.

Updated Oct. 7, 2021: **Finland** joins Sweden and Denmark in pausing use of Moderna in men 30 and under due to heart issues after a Nordic study found that men under the age of 30 were at a higher risk of developing myocarditis, an inflammation of the heart muscle.

Updated Oct. 6, 2021: **Sweden** and **Denmark** have halted use of Moderna in people under age 30 due to increased risk of heart injuries such as myocarditis.

Updated Sept. 9, 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with a threefold increased risk of myocarditis, according to a real-world case-control **study from**

Israel. "Vaccination had a strong association with an increased risk of myocarditis as well as increased risks of lymphadenopathy [swelling or inflammation of lymph nodes], appendicitis, and herpes zoster infection."

The Food and Drug Administration has added a new **warning** to Pfizer and Moderna Covid-19 vaccines about risk of heart inflammation.

As of June of 2021, CDC said that more than 1,200 cases of **heart inflammation** (myocarditis of pericarditis) in young people had been reported after Pfizer and Moderna Covid-19 vaccination.

- More than half were after the second dose.
- Most of the injuries are in males under age 30.

*Updated Aug. 4: A **new, independent study** of medical records found the incidences of myocarditis and pericarditis are more than five times more common than CDC reported.*

The Israeli Ministry of Health announced it's monitoring for heart inflammation after Pfizer's vaccine due to reports of problems.

Myocarditis and Other Cardiovascular Complications of the mRNA-Based COVID-19 Vaccines (Pfizer-BioNTech, Moderna) in a number of patients are described in a **scientific article**:

- Two patients with clinically suspected myocarditis
- One patient with stress cardiomyopathy
- Two patients with pericarditis

According to the research:

- The two patients with clinically suspected myocarditis were otherwise healthy young men who presented with acute substernal chest pressure and/or dyspnea after receiving the second dose of the vaccine and were found to have diffuse ST elevations on electrocardiogram (ECG), elevated cardiac biomarkers and inflammatory markers, and mildly reduced left ventricular (LV) function on echocardiography. Both patients met the modified Lake Louise Criteria for acute myocarditis by cardiac magnetic resonance imaging.
- A case of stress cardiomyopathy occurred in a 60-year-old woman with known coronary artery disease (CAD) and previously normal LV function, who presented with new exertional symptoms, ECG changes, and apical akinesis following the second dose of the vaccine.
- The two patients with pericarditis who presented with chest pain, elevated inflammatory markers, and pericardial effusions after receiving the vaccine.

An otherwise healthy South Florida doctor, Gregory Michael, died of a brain hemorrhage 16 days after he got Pfizer's Covid-19 vaccine. Authorities concluded he died of a blood disorder called "immune thrombocytopenia" (ITP) that can prevent blood from clotting and cause internal bleeding. His wife said a blood test showed the level of his platelets to be at "zero." She said before the shot, Dr. Michael had "absolutely no medical issues" and no underlying conditions. However, authorities later categorized his death as "natural."

Updated Sept. 12, 2021: A **study** of Pfizer and Moderna vaccines finds teenage boys are six times more likely to suffer heart issues from Covid-19 vaccination than from Covid. (However, in both instances, the risk is considered slight.)

Frail, elderly

Health officials in Norway sounded the alarm after 23 patients died shortly after receiving the Pfizer Covid-19 vaccine. They advise doctors to use caution in administering the shot to "very frail elderly patients."

After investigating 13 of the deaths, the Norwegian authorities concluded that common side effects from so-called "RNA" vaccines may be too much for a frail elderly person to handle, and may contribute to their death.

"There is a possibility that these common adverse reactions, that are not dangerous in fitter, younger patients and are not unusual with vaccines, may aggravate underlying disease in the elderly," said Steinar Madsen, medical director of the Norwegian Medicines Agency.

CDC said it is monitoring the impact of the vaccines on already-frail patients such as the chronically ill in nursing homes.

Several clusters of elderly patients in U.S. nursing homes died after Pfizer or Moderna Covid-19 vaccine. In one group, a number of the patients who died tested positive for Covid-19 after vaccination.

Israel announced that about half of the adults infected with Covid-19 during its outbreak in the June 2021 time period were fully vaccinated. The fully-vaccinated individuals had gotten Pfizer's shots.

Graves Disease

Studies in Mexico and Turkey link the autoimmune thyroid disorder Graves disease to Covid-19 vaccination in numerous female health care workers, including two who were breastfeeding. Pfizer-BioNTech was the vaccine given in Mexico. A Chinese vaccine was given in Turkey. [Read more at the link here.](#)

Johnson and Johnson

Updated Oct. 6, 2021: [Slovenia](#) has temporarily halted Johnson & Johnson after the stroke death of a 20 year old woman.

Updated Oct. 3, 2021: The European Medicines Agency recommended that blood clotting in deep veins and immune thrombocytopenia (ITP), a bleeding disorder caused by the body mistakenly attacking platelets, be added as adverse reactions to Johnson and Johnson vaccine.

Update Sept. 19, 2021: All brands of Covid-19 vaccines are associated in changes in menstrual cycles of women, according to a [British study](#).

“ Biologically plausible mechanisms linking immune stimulation with menstrual changes include immunological influences on the hormones driving the menstrual cycle or effects mediated by immune cells in the lining of the uterus, which are involved in the cyclical build-up and breakdown of this tissue. Research exploring a possible association between covid-19 vaccines and menstrual changes may also help understand the mechanism.

Menstrual changes after covid-19 vaccination

Update Sept. 9, 2021: An August 10 [study in JAMA Cardiology](#) urged caution in giving Johnson and Johnson Covid-19 vaccine to certain high risk patients due to the vaccine link to a serious blood disorder: thrombocytopenia with thrombosis. "One of the devastating manifestations of this syndrome, termed *vaccine-induced immune thrombotic thrombocytopenia* (VITT), is cerebral venous sinus thrombosis (CVST)," say the study authors.

[Read the study here.](#)

Update July 22, 2021: The European Union added Guillain-Barré syndrome, an autoimmune paralysis disorder, as a possible side effect from Johnson and Johnson's Covid-19 vaccine.

Update July 12, 2021: The FDA [added warnings](#) about Guillain-Barre autoimmune paralysis, in which the immune system attacks the body's nerves, after Johnson and Johnson vaccine. According to reports, the cases have primarily been reported about two weeks after vaccination, mostly in men, and "any aged 50 and older."

The Johnson and Johnson Covid-19 vaccine was temporarily removed from the market in the U.S. on April 16, 2021 while health officials studied reports of blood clot injuries.

Updated Aug. 4: A [new, independent study](#) of medical records found the incidences of myocarditis and pericarditis are more than five times more common than CDC reported.

The Johnson and Johnson vaccine was allowed back on the market April 27, 2021 with [new warnings](#) about the disorder.

Swedish health officials determined that people under age 65 should not get the Johnson and Johnson vaccine due to reports of blood clots.

An editorial in the Journal of the American Medical Association recommended women under age 50 avoid the Johnson and Johnson Covid-19 vaccine due to concerns about [blood clots](#): a blood disorder known as [cerebral venous sinus thrombosis](#) (CVST) with thrombocytopenia following the Johnson and Johnson vaccine.

On June 11, the European Union's drug regulator [announced](#) it will not use batches of the Johnson & Johnson COVID-19 vaccine that were made at a [Baltimore](#), Maryland-based plant around the time that cross-contamination manufacturing problems were reported at the facility.

Anonymous sources claimed that up to 60 million doses of the Johnson and Johnson vaccine had to be thrown out. But the FDA issued a [news release](#) saying that two batches from the Baltimore plant were safe to use. The FDA said "several other batches are not suitable for use, but additional batches are still under review."

Denmark banned the Johnson and Johnson vaccine altogether saying "the benefits of using the COVID-19 vaccine from Johnson & Johnson do not outweigh the risk of causing the possible adverse effect in those who receive the vaccine".

AstraZeneca (not given in the U.S.)

Update Oct. 8, 2021: A study of health care workers in **Vietnam** found vaccinated people infected with Delta Covid-19 carry "unusually high viral loads" in their nostrils that are "251 times higher." The study said that during a period when the vaccinated patients are infected but don't yet know it, they could be responsible for heightened spread to other vaccinated or the unvaccinated.

Update Sept. 19, 2021: All brands of Covid-19 vaccines are associated in changes in menstrual cycles of women, according to a **British study**.

“ Biologically plausible mechanisms linking immune stimulation with menstrual changes include immunological influences on the hormones driving the menstrual cycle or effects mediated by immune cells in the lining of the uterus, which are involved in the cyclical build-up and breakdown of this tissue. Research exploring a possible association between covid-19 vaccines and menstrual changes may also help understand the mechanism.

Menstrual changes after covid-19 vaccination

Update: Sept. 9, 2021: An August 10 **study in JAMA Cardiology** urged caution in giving AstraZeneca Covid-19 vaccine to certain high risk patients due to the vaccine link to a serious blood disorder: thrombocytopenia with thrombosis. "One of the devastating manifestations of this syndrome, termed *vaccine-induced immune thrombotic thrombocytopenia* (VITT), is cerebral venous sinus thrombosis (CVST)," say the study authors.

[Read the study here.](#)

The AstraZeneca Covid-19 vaccine has been linked to a dangerous disorder involving **blood clots** with low blood platelets.

On April 7, 2021: The European Medicines Agency says it made the association after it analyzed 62 cases of cerebral venous sinus thrombosis and 24 cases of splanchnic vein thrombosis reported in the EU drug safety database (**EudraVigilance**) as of March 22, 2021, 18 of which were fatal.

In Spain, the AstraZeneca shot has been restricted in people under age 60 due to reports of blood clots in younger people.

Bulgaria, Iceland and Norway halted AstraZeneca shots due to blood issues or impact on frail. Iceland, and perhaps some others, reinstated it in people over age 70 and, perhaps, in some over age 60.

Austria, Italy and Romania banned certain "lots" or batches of the AstraZeneca shots.

Denmark stopped using the AstraZeneca Covid-19 vaccine altogether after investigations into blood clots.

The Italian government recently restricted AstraZeneca Covid-19 vaccine to adults over age 60 after a teenager who got the shot died from a rare form of blood clotting. Eighteen-year-old Camilla Canepa died after getting vaccinated May 25, 2021.

Several other European countries have also stopped giving the AstraZeneca COVID-19 vaccine to people below a certain age, usually ranging from 50 to 65.

Several Brazilian states suspended use of AstraZeneca's Covid-19 vaccine for pregnant women in May 2021 after a pregnant woman died after getting vaccinated. The decisions follow the recommendation of the country's National Health Surveillance Agency, which recommended "immediate suspension" of the AstraZeneca Covid-19 vaccine for pregnant women after results of vaccine adverse events monitoring in the country.

Numerous case reports of Guillain-Barre syndrome paralysis after Covid-19 vaccine have prompted scientists to warn that "all physicians" should be "vigilant in recognizing Guillain-Barré syndrome in patients who have received the AstraZeneca vaccine... our observations suggest that this clinically distinct [Guillain-Barré syndromel variant is more severe than usual and may require mechanical ventilation." In the U.K., scientists flagged "bifacial weakness and normal facial sensation in four men between 11 and 22 days after their first doses of the Astra-Zeneca vaccine." A case has also been reported in a patient who got the Pfizer vaccine. In India, there are reports of seven severe cases of Guillain-Barré syndrome 10 to 14 days after the first dose of AstraZeneca's vaccine. Six were women, all had facial paralysis, "all progressed to quadriplegia, and six required respiratory support. Patients' ages ranged from 43 to 70. Four developed other cranial neuropathies, including abducens palsy and trigeminal sensory nerve involvement."

Guillain-Barre syndrome has been reported after other vaccinations. The cause is believed to be damage to the immune system. The disorder can be extremely serious and can lead to total paralysis with dependence on artificial respiration. Even those who recover may have serious muscle wasting and may have to slowly teach the body to relearn most every normal task, such as walking. One in 20 cases is fatal.

Summary by country

Austria: Banned certain "lots" or batches of AstraZeneca shots.

Brazil: Several Brazilian states suspended use of AstraZeneca's Covid-19 vaccine for pregnant women in May 2021 after a pregnant woman died after getting vaccinated. The decisions follow the recommendation of the country's National Health Surveillance Agency, which recommended "immediate suspension" of the AstraZeneca Covid-19 vaccine for pregnant women after results of vaccine adverse events monitoring in the country.

Bulgaria: Bulgaria, Iceland and Norway halted AstraZeneca shots for a time due to blood issues or impact on frail. Iceland, and possibly others, reinstated it in people over age 70 and, perhaps, in some over age 60.

Denmark: stopped using the AstraZeneca Covid-19 vaccine and the Johnson and Johnson vaccine altogether after investigations into blood clots.

Updated Oct. 6, 2021: **Sweden** and **Denmark** have halted use of Moderna in people under age 30 due to increased risk of heart injuries such as myocarditis.

European Union: Oct. 3, 2021: The European Medicines Agency recommended that blood clotting in deep veins and immune thrombocytopenia (ITP), a bleeding disorder caused by the body mistakenly attacking platelets, be added as adverse reactions to Johnson and Johnson vaccine. The ITP disorder is also linked to the AstraZeneca Covid-19 vaccines, which aren't currently used in the US..

July 22, 2021: The European Union added Guillain-Barré syndrome, an autoimmune paralysis disorder, as a possible side effect from Johnson and Johnson's Covid-19 vaccine.

The AstraZeneca Covid-19 vaccine (not currently approved in the U.S.) has been linked to a dangerous disorder involving **blood clots** with low blood platelets. On April 7, 2021, the European Medicines Agency says it made the association after it analyzed 62 cases of cerebral venous sinus thrombosis and 24 cases of splanchnic vein thrombosis reported in the EU drug safety database (**EudraVigilance**) as of March 22, 2021, 18 of which were fatal.

On June 11, the European Union's drug regulator **announced** it will not use batches of the Johnson & Johnson COVID-19 vaccine that were made at a **Baltimore**, Maryland-based plant around the time that cross-contamination manufacturing problems were reported at the facility.

Several European countries have **stopped** giving the AstraZeneca COVID-19 vaccine to people below a certain age, usually ranging from 50 to 65.

Numerous case reports of Guillain-Barre syndrome paralysis after Covid-19 vaccine have prompted scientists to warn that "all physicians" should be "vigilant in recognizing Guillain-Barré syndrome in patients who have received the AstraZeneca vaccine... our observations suggest that this clinically distinct [Guillain-Barré syndrome] variant is more severe than usual and may require **mechanical ventilation**." In the **U.K.**, scientists flagged "bifacial weakness and normal facial sensation in four men between 11 and 22 days after their first doses of the Astra-Zeneca vaccine." **A case** has also been reported in a patient who got the Pfizer vaccine. In India, there are **reports** of seven severe cases of Guillain-Barré syndrome 10 to 14 days after the first dose of AstraZeneca's vaccine. Six were women, all had facial paralysis, "all progressed to quadriplegia, and six required respiratory support. Patients' ages ranged from 43 to 70. Four developed other cranial neuropathies, including abducens palsy and trigeminal sensory nerve involvement."

Guillain-Barre syndrome has been reported after other vaccinations. The cause is believed to be damage to the immune system. The disorder can be extremely serious and can lead to total paralysis with dependence on artificial respiration. Even those who recover may have serious muscle wasting and may have to slowly teach the body to relearn most every normal task, such as walking. One in 20 cases is fatal.

Finland: Updated Oct. 7, 2021: **Finland** joins Sweden and Denmark in pausing use of Moderna in men 30 and under due to heart issues after a Nordic study found that men under the age of 30 were at a higher risk of developing myocarditis, an inflammation of the heart muscle.

Hong-Kong: Updated Aug. 17: An **analysis** in Hong Kong shows risk of Bell's palsy is higher with CoronaVac (Sinovac Biotech) shot, a vaccine formulation not currently used in U.S. Bell's palsy is **facial paralysis**, muscle twitching, or weakness. It may include change in **taste**, and pain around the ear, increased sensitivity to sound known as **hyperacusis**. An **adverse event analysis** of U.S. reports shows 4,154 Bell's Palsy after Covid-19 vaccination.

Iceland: Halted AstraZeneca shots due to blood issues in March, then reinstated it for people over age 70 and perhaps some over age 60.

Updated Oct. 10, 2021: Iceland joins Finland, Sweden and Denmark in **pausing Moderna** due to increased heart issues such as myocarditis and pericarditis. While some of the countries are permitting Moderns in people over age 30, Iceland is not permitting its use at all, currently.

India: Numerous case reports of Guillain-Barre syndrome paralysis after Covid-19 vaccine have prompted scientists to warn that "all physicians" should be "vigilant in recognizing Guillain-Barré syndrome in patients who have received the AstraZeneca vaccine... our observations suggest that this clinically distinct [Guillain-Barré syndrome] variant is more severe than usual and may require **mechanical ventilation**." In the **U.K.**, scientists flagged "bifacial weakness and normal facial sensation in four men between 11 and 22 days after their first doses of the Astra-Zeneca vaccine." **A case** has also been reported in a patient who got the Pfizer vaccine. In India, there are **reports** of seven severe cases of Guillain-Barré syndrome 10 to 14 days after the first dose of AstraZeneca's vaccine. Six were women, all had facial paralysis, "all progressed to quadriplegia, and six required respiratory support. Patients' ages ranged from 43 to 70. Four developed other cranial neuropathies, including abducens palsy and trigeminal sensory nerve involvement."

Guillain-Barre syndrome has been reported after other vaccinations. The cause is believed to be damage to the immune system. The disorder can be extremely serious and can lead to total paralysis with dependence on artificial respiration. Even those who recover may have serious muscle wasting and may have to slowly teach the body to relearn most every normal task, such as walking. One in 20 cases is fatal.

Israel: The Israeli Ministry of Health announced it's monitoring for heart inflammation after Pfizer's vaccine due to reports of problems.

Announced that about half of the adults infected with Covid-19 during its outbreak in the June 2021 time period were fully vaccinated. The fully-vaccinated individuals had gotten Pfizer's shots.

Update Aug. 24, 2021: In highly-vaccinated **Israel**, recognition that vaccination likely does not confer protection beyond a few months, the country has reimagined its vaccine passports. They will only apply to people who have had three shots, and only be good for a six month period of time.

Updated Sept. 9 2021: The Pfizer COVID-19 mRNA vaccine was found to be associated with a threefold increased risk of myocarditis, according to a real-world case-control **study from Israel**. "Vaccination had a strong association with an increased risk of myocarditis as well as increased risks of lymphadenopathy [swelling or inflammation of lymph nodes], appendicitis, and herpes zoster infection."

Italy: **Restricted** AstraZeneca Covid-19 vaccine to adults over age 60 after a teenager who got the shot died from a rare form of blood clotting. Eighteen-year-old Camilla Canepa died after getting vaccinated May 25, 2021.

Banned certain "lots" or batches of the AstraZeneca shots.

Mexico: Studies in Mexico and Turkey link the autoimmune thyroid disorder Graves disease to Covid-19 vaccination in numerous female health care workers, including two who were breastfeeding. Pfizer-BioNTech was the vaccine given in Mexico. A Chinese vaccine was given in Turkey. [Read more at the link here.](#)

Norway: Halted AstraZeneca shots. Cautioned use of the vaccine in "very **frail elderly** patients" after nearly two dozen deaths.

"There is a possibility that these common adverse reactions, that are not dangerous in fitter, younger patients and are not unusual with vaccines, may aggravate underlying disease in the elderly," said Steinar Madsen, medical director of the Norwegian Medicines Agency.

Romania: Banned certain "lots" or batches of the AstraZeneca shots.

Slovenia: Updated Oct. 6, 2021: **Slovenia** has temporarily halted Johnson & Johnson after the stroke death of a 20 year old woman.

Spain: The AstraZeneca shot has been restricted in people under age 60 due to reports of blood clots in younger people.

Sweden: Health officials determined that people under age 65 should not get the Johnson and Johnson vaccine due to reports of blood clots.

Updated Oct. 6, 2021: **Sweden** and **Denmark** have halted use of Moderna in people under age 30 due to increased risk of heart injuries such as myocarditis.

Turkey: Studies in Mexico and Turkey link the autoimmune thyroid disorder Graves disease to Covid-19 vaccination in numerous female health care workers, including two who were breastfeeding. Pfizer-BioNTech was the vaccine given in Mexico. A Chinese vaccine was given in Turkey. [Read more at the link here.](#)

UK: Updated Oct. 13, 2021: Data **from the UK** finds vaccines are "highly effective," but effectiveness wanes after as little as 3-4 months.

Updated Sept. 19, 2021: All brands of Covid-19 vaccines are associated in changes in menstrual cycles of women, according to a [British study](#).

“ Biologically plausible mechanisms linking immune stimulation with menstrual changes include immunological influences on the hormones driving the menstrual cycle or effects mediated by immune cells in the lining of the uterus, which are involved in the cyclical build-up and breakdown of this tissue. Research exploring a possible association between covid-19 vaccines and menstrual changes may also help understand the mechanism.

Menstrual changes after covid-19 vaccination

Some scientists **analyzed** adverse event reports and called upon the Medicines and Healthcare products Regulatory Agency to stop the Covid-19 vaccines as "not safe for human use" due to reports of issues with bleeding/clotting, pain, immune system, neurological, loss of sight/hearing/smell speech, and questions about impact in pregnant women.

Updated: Researchers in the United Kingdom are studying **two additional cases** of Functional Neurological Disorder (FND) in women in their 30s after receiving Covid-19 vaccines.

FND is a neurological disorder involving malfunctioning of the nervous system and how the brain and body transmit signals. Symptoms can include limb weakness, paralysis, tremor, spasms, problems walking, speech problems, tingling, vision loss, seizures, fatigue, anxiety, chronic pain, memory symptoms, and blackouts.

An analysis of Covid-19 vaccine adverse events showed **hundreds of thousands of reports** of such symptoms.

In January, videos showing vaccine patients suffering such symptoms were treated by media outlets such as **Wired** as if they were fake news and "dangerous" misinformation.

In fact, the videos garnered the attention of scientists who investigated and concluded they were early warnings of what happens to some who get Covid-19 vaccines.

The newest cases are outlined in the journal **Neurology** and include:

- A 38-year old woman who got her first dose of Pfizer's vaccine and quickly developed weakness around her ear, mouth, left arm and leg. She went to the ER the next day and was diagnosed with Bell's palsy or a transient ischemic attack. Problems continued months later, including memory issues, and she was diagnosed with FND.
- A 36-year-old woman who got her second dose of Moderna and quickly noticed weakness in right hand and right leg limping. A day later she reported severe leg heaviness, fatigue, movement difficulties. After physical therapy her right-side weakness improved but she awoke weeks later with left-side weakness, tightness and heaviness in neck, difficulties with daily living, rapid muscle fatigue, dragging right foot, and tremor. She was diagnosed with FND.

US: Update Oct. 4, 2021: A **study** by university and NIH scientists in the U.S. finds Pfizer vaccine antibodies disappear after about 7 months in many patients.

Update Sept. 12, 2021: A **study** of Pfizer and Moderna vaccines finds teenage boys are six times more likely to suffer heart issues from Covid-19 vaccination than from Covid. (However, in both instances, the risk is considered slight.)

Update Sept. 9, 2021: An August 10 **study** in JAMA Cardiology confirms the previously identified Pfizer vaccine's myocarditis (heart inflammation) risk in young boys.

[Read the study here.](#)

Update Sept. 4, 2021: Acute CNS Demyelination and Multiple Sclerosis: A new study in **Journal of Neurology** examines possible links between Pfizer and Moderna vaccines, and acute Central Nervous System (CNS) demyelination, including Multiple Sclerosis (MS).

Demyelinating diseases damage the protective covering surrounding nerve fibers in the brain, optic nerves and spinal cord, causing neurological problems. In the study, four patients had the Pfizer vaccine and three had the Moderna vaccine. Within 21 days of the first or second dose, the patients developed active CNS demyelination of the optic nerve, brain, and/or spinal cord leading to "visual loss, dysmetria, gait instability, paresthesias, sphincter disturbance, and limb weakness."

Age ranged from 24 to 64 years old. Four patients were ultimately diagnoses with exacerbation of their stable MS.

Two were diagnosed with new cases of MS.

One was diagnosed with neuromyelitis optica.

Update Aug. 24, 2021: With evidence of seriously-waning immunity at the five- to six-month mark, CDC is now recommending a third "booster" shot. In highly-vaccinated [Israel](#), recognition that vaccination likely does not confer protection beyond a few months, the country has reimaged its vaccine passports. They will only apply to people who have had three shots, and only be good for a six month period of time.

Update Aug. 16, 2021: Antibody Dependent Enhancement (ADE) ([read more here](#)). *According to studies:*

- Antibody Dependent Enhancement (ADE) can make vaccinated people more susceptible to serious infection from the virus
- "ADE may be a concern" for those who have been vaccinated for Covid-19
- With ADE, after people get vaccinated for an initial virus, infection by a subsequent variant or strain of the virus can result in "increased viral replication and more severe disease, leading to major safety risks"
- ADE can also "occur when neutralizing antibodies (which bind the virus and stop it from causing infection) are present at low enough levels that they don't protect against infection. Instead, they can form [immune complexes](#) with viral particles, which in turn leads to worse illness"
- This concern was initially described by some scientists who were subsequently banned from media platforms that incorrectly claimed the scientists were disseminating disinformation

Update Aug. 4, 2021: A [new, independent study](#) of medical records found the incidences of myocarditis and pericarditis are more than five times more common than CDC reported.

Update July 12, 2021: The FDA [added warnings](#) about Guillain-Barre autoimmune paralysis, in which the immune system attacks the body's nerves, after Johnson and Johnson vaccine. According to reports, the cases have primarily been reported about two weeks after vaccination, mostly in men, and "any aged 50 and older."

In late June, the first case of a blood clot disorder called "thrombosis with thrombocytopenia" after an RNA double-dose vaccine was been reported in the Annals of Internal Medicine. The case was that of a 65-year-old man who developed symptoms ten days after his second dose of the Moderna vaccine. Because the blood clot disorder was not previously warned about in the Moderna and Pfizer vaccines, doctors treated the patient with heparin, the very drug that's not supposed to be used in post-vaccine patients suffering from the disorder because it could actually worsen the condition.

Dr. Peter McCullough, cardiologist and Vice Chief of Medicine at Baylor University Medical Center in Dallas, Texas, has [called for a halt](#) to vaccinating 30-year olds due to "no clinical benefit" and safety concerns.

A petition of scientists led by [Linda Wastila](#), Professor, Pharmaceutical Health Services Research University of Maryland School of Pharmacy is calling for Covid-19 vaccines to be disapproved.

The Food and Drug Administration has added a new [warning](#) to Pfizer and Moderna Covid-19 vaccines about risk of heart inflammation.

As of June of 2021, CDC said that more than 1,200 cases of [heart inflammation](#) (myocarditis of pericarditis) in young people had been reported after Pfizer and Moderna Covid-19 vaccination.

- More than half were after the second dose.
- Most of the injuries are in males under age 30.

Myocarditis and Other Cardiovascular Complications of the mRNA-Based COVID-19 Vaccines (Pfizer-BioNTech, Moderna) in a number of patients are described in a [scientific article](#):

- Two patients with clinically suspected myocarditis
- One patient with stress cardiomyopathy
- Two patients with pericarditis

According to the research:

- The two patients with clinically suspected myocarditis were otherwise healthy young men who presented with acute substernal chest pressure and/or dyspnea after receiving the second dose of the vaccine and were found to have diffuse ST elevations on electrocardiogram (ECG), elevated cardiac biomarkers and inflammatory markers, and mildly reduced left ventricular (LV) function on echocardiography. Both patients met the modified Lake Louise Criteria for acute myocarditis by cardiac magnetic resonance imaging.
- A case of stress cardiomyopathy occurred in a 60-year-old woman with known coronary artery disease (CAD) and previously normal LV function, who presented with new exertional symptoms, ECG changes, and apical akinesis following the second dose of the vaccine.
- The two patients with pericarditis who presented with chest pain, elevated inflammatory markers, and pericardial effusions after receiving the vaccine.

The Johnson and Johnson Covid-19 vaccine was temporarily removed from the market in the U.S. on April 16, 2021 while health officials studied reports of blood clot injuries. Among them was an 18-year old teen named [Emma Burkey](#), who got sick about a week after the Johnson and Johnson Covid-19 vaccine and ended up having three brain surgeries related to blood clots and seizures.

The Johnson and Johnson vaccine was allowed back on the market April 27, 2021 with [new warnings](#) about the disorder.

An editorial published in the Journal of the American Medical Association recommended women under age 50 avoid the Johnson and Johnson Covid-19 vaccine due to concerns about [blood clots](#). The recommendation discussed 12 case reports of a blood disorder known as [cerebral venous sinus thrombosis](#) (CVST) with thrombocytopenia following the Johnson and Johnson vaccine.

An otherwise healthy South Florida doctor, Gregory Michael, died of a brain hemorrhage 16 days after he got Pfizer's Covid-19 vaccine. Authorities concluded he died of a blood disorder called "immune thrombocytopenia" (ITP) that can prevent blood from clotting and cause internal bleeding. His wife said a blood test showed the level of his platelets to be at "zero." She said before the shot, Dr. Michael had "absolutely no medical issues" and no underlying conditions. However, authorities later categorized his death as "natural."

Several clusters of elderly patients in U.S. nursing homes [died](#) after Pfizer or Moderna Covid-19 vaccine. In one group, a number of the patients who died tested positive for Covid-19 after vaccination.

CDC [falsely claimed](#) that studies showed Covid-19 vaccines are effective for those who already had Covid-19. In fact, studies showed the opposite.

Anonymous sources claimed that up to 60 million doses of the Johnson and Johnson vaccine had to be thrown out. But the FDA issued a [news release](#) saying that two batches from the Baltimore plant were safe to use. The FDA said "several other batches are not suitable for use, but additional batches are still under review."

According to Epoch Times, in June 2021 **nearly 4,000 fully vaccinated** people in Massachusetts tested positive for Covid-19. On April 30, "the CDC reported that some 10,626 breakthrough cases were reported in 46 states and territories." Breakthrough cases are where fully vaccinated people still end up infected with Covid-19.

Scientists hoped that Covid-19 vaccines would be effective in variants of Covid-19, which are mutations that occur naturally with viruses and were always expected with Covid-19. However, the vaccine effectiveness against variants may be limited. CDC and vaccine makers are studying the medical landscape to find out more.

Other states, such as **Maine**, are noting Covid-19 deaths occurring in fully vaccinated people.

Update Oct. 8, 2021: A study of health care workers in **Vietnam** found vaccinated people infected with Delta Covid-19 carry "unusually high viral loads" in their nostrils that are "251 times higher." The study said that during a period when the vaccinated patients are infected but don't yet know it, they could be responsible for heightened spread to other vaccinated or the unvaccinated. The subjects had been fully vaccinated with AstraZeneca's vaccine, which is not used in the U.S.

Additional reading and studies

Durability of immune responses to the BNT162b2 mRNA vaccine, Sept. 30, 2021:

<https://www.biorxiv.org/content/10.1101/2021.09.30.462488v1.article-info>

Additional case studies of myocarditis in people after Pfizer and Moderna Covid-19 vaccines, Aug. 18, 2021. Available from: <https://www.nejm.org/doi/full/10.1056/NEJMc2109975>

Transmission of SARS-CoV-2 Delta Variant Among Vaccinated Healthcare Workers, Vietnam, Aug. 10, 2021. Available from: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3897733

Zuckerman DM. Emergency Use Authorizations (EUAs) Versus FDA Approval: Implications for COVID-19 and Public Health. Am J Public Health [Internet]. 2021 Jun;111(6):1065–9. Available from: <http://dx.doi.org/10.2105/AJPH.2021.306273>

Food and Drug Administration. Development and Licensure of Vaccines to Prevent COVID-19: Guidance for Industry [Internet]. 2020 [cited 2020 Oct 6]. Available from: <https://www.fda.gov/media/139638/download>

Food and Drug Administration. FDA Briefing Document. Janssen Ad26.COV2.S Vaccine for the Prevention of COVID-19 [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.fda.gov/media/146217/download>

CDC. Risk for COVID-19 infection, hospitalization, and death by age group [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.cdc.gov/coronavirus/2019-ncov/covid-data/investigations-discovery/hospitalization-death-by-age.html>

CDC. COVID-19 Pandemic Planning Scenarios [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/planning-scenarios.html>

CDC. Estimated disease burden of COVID-19 [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/burden.html>

Dan JM, Mateus J, Kato Y, Hastie KM, Yu ED, Faliti CE, et al. Immunological memory to SARS-CoV-2 assessed for up to 8 months after infection. *Science* [Internet]. 2021 Feb 5;371(6529). Available from: <http://dx.doi.org/10.1126/science.abf4063>

Turner JS, Kim W, Kalaidina E, Goss CW, Rauseo AM, Schmitz AJ, et al. SARS-CoV-2 infection induces long-lived bone marrow plasma cells in humans. *Nature* [Internet]. 2021 May 24; Available from: <http://dx.doi.org/10.1038/s41586-021-03647-4>

Breton G, Mendoza P, Hagglof T, Oliveira TY, Schaefer-Babajew D, Gaebler C, et al. Persistent Cellular Immunity to SARS-CoV-2 Infection. *bioRxiv* [Internet]. 2020 Dec 9; Available from: <http://dx.doi.org/10.1101/2020.12.08.416636>

Hall VJ, Foulkes S, Charlett A, Atti A, Monk EJM, Simmons R, et al. SARS-CoV-2 infection rates of antibody-positive compared with antibody-negative health-care workers in England: a large, multicentre, prospective cohort study (SIREN). *Lancet* [Internet]. 2021 Apr 17;397(10283):1459–69. Available from: [http://dx.doi.org/10.1016/S0140-6736\(21\)00675-9](http://dx.doi.org/10.1016/S0140-6736(21)00675-9)

Krammer F, Srivastava K, Simon V, the PARIS team. Robust spike antibody responses and increased reactogenicity in seropositive individuals after a single dose of SARS-CoV-2 mRNA vaccine [Internet]. *bioRxiv. medRxiv*; 2021. Available from: <http://medrxiv.org/lookup/doi/10.1101/2021.01.29.21250653>

Samanovic MI, Cornelius AR, Wilson JP, Karmacharya T, Gray-Gaillard SL, Allen JR, et al. Poor antigen-specific responses to the second BNT162b2 mRNA vaccine dose in SARS-CoV-2-experienced individuals. *medRxiv* [Internet]. 2021 Feb 9; Available from: <http://dx.doi.org/10.1101/2021.02.07.21251311>

Camara C, Lozano-Ojalvo D, Lopez-Granados E, Paz-Artal E, Pion M, Correa-Rocha R, et al. Differential effects of the second SARS-CoV-2 mRNA vaccine dose on T cell immunity in naïve and COVID-19 recovered individuals [Internet]. *bioRxiv*. 2021 [cited 2021 May 28]. p. 2021.03.22.436441. Available from: <https://www.biorxiv.org/content/10.1101/2021.03.22.436441v1>

Levi R, Azzolini E, Pozzi C, Ubaldi L, Lagioia M, Mantovani A, et al. A cautionary note on recall vaccination in ex-COVID-19 subjects [Internet]. *bioRxiv. medRxiv*; 2021. Available from: <http://medrxiv.org/lookup/doi/10.1101/2021.02.01.21250923>

Ogata AF, Cheng C-A, Desjardins M, Senussi Y, Sherman AC, Powell M, et al. Circulating SARS-CoV-2 Vaccine Antigen Detected in the Plasma of mRNA-1273 Vaccine Recipients. *Clin Infect Dis* [Internet]. 2021 May 20; Available from: <http://dx.doi.org/10.1093/cid/ciab465>

Kuba K, Imai Y, Rao S, Gao H, Guo F, Guan B, et al. A crucial role of angiotensin converting enzyme 2 (ACE2) in SARS coronavirus-induced lung injury. *Nat Med* [Internet]. 2005 Aug;11(8):875–9. Available from: <http://dx.doi.org/10.1038/nm1267>

Chen I-Y, Chang SC, Wu H-Y, Yu T-C, Wei W-C, Lin S, et al. Upregulation of the chemokine (C-C motif) ligand 2 via a severe acute respiratory syndrome coronavirus spike-ACE2 signaling pathway. *J Virol* [Internet]. 2010 Aug;84(15):7703–12. Available from: <http://dx.doi.org/10.1128/JVI.02560-09>

Patra T, Meyer K, Geerling L, Isbell TS, Hoft DF, Brien J, et al. SARS-CoV-2 spike protein promotes IL-6 trans-signaling by activation of angiotensin II receptor signaling in epithelial cells. *PLoS Pathog* [Internet]. 2020 Dec;16(12):e1009128. Available from: <http://dx.doi.org/10.1371/journal.ppat.1009128>

Zhang S, Liu Y, Wang X, Yang L, Li H, Wang Y, et al. SARS-CoV-2 binds platelet ACE2 to enhance thrombosis in COVID-19. *J Hematol Oncol* [Internet]. 2020 Sep 4;13(1):120. Available from: <http://dx.doi.org/10.1186/s13045-020-00954-7>

Suresh SJ, Suzuki YJ. SARS-CoV-2 Spike Protein and Lung Vascular Cells. *Journal of Respiration* [Internet]. 2020 Dec 31 [cited 2021 May 25];1(1):40–8. Available from: <https://www.mdpi.com/2673-527X/1/1/4>

Angeli F, Spanevello A, Reboldi G, Visca D, Verdecchia P. SARS-CoV-2 vaccines: Lights and shadows. *Eur J Intern Med* [Internet]. 2021 Apr 30; Available from: <http://dx.doi.org/10.1016/j.ejim.2021.04.019>

Han M, Pandey D. ZMPSTE24 Regulates SARS-CoV-2 Spike Protein-enhanced Expression of Endothelial Plasminogen Activator Inhibitor-1. *Am J Respir Cell Mol Biol* [Internet]. 2021 May 18; Available from: <http://dx.doi.org/10.1165/rcmb.2020-0544OC>

Rhea EM, Logsdon AF, Hansen KM, Williams LM, Reed MJ, Baumann KK, et al. The S1 protein of SARS-CoV-2 crosses the blood-brain barrier in mice. *Nat Neurosci* [Internet]. 2021 Mar;24(3):368–78. Available from: <http://dx.doi.org/10.1038/s41593-020-00771-8>

Idrees D, Kumar V. SARS-CoV-2 spike protein interactions with amyloidogenic proteins: Potential clues to neurodegeneration. *Biochem Biophys Res Commun* [Internet]. 2021 May 21;554:94–8. Available from: <http://dx.doi.org/10.1016/j.bbrc.2021.03.100>

Lei Y, Zhang J, Schiavon CR, He M, Chen L, Shen H, et al. SARS-CoV-2 Spike Protein Impairs Endothelial Function via Downregulation of ACE 2. *Circ Res* [Internet]. 2021 Apr 30;128(9):1323–6. Available from: <http://dx.doi.org/10.1161/CIRCRESAHA.121.318902>

Zhang L, Richards A, Barrasa MI, Hughes SH, Young RA, Jaenisch R. Reverse-transcribed SARS-CoV-2 RNA can integrate into the genome of cultured human cells and can be expressed in patient-derived tissues. *Proc Natl Acad Sci U S A* [Internet]. 2021 May 25;118(21). Available from: <http://dx.doi.org/10.1073/pnas.2105968118>

Suzuki YJ, Nikolaienko SI, Dibrova VA, Dibrova YV, Vasylyk VM, Novikov MY, et al. SARS-CoV-2 spike protein-mediated cell signaling in lung vascular cells. *Vascul Pharmacol* [Internet]. 2021 Apr;137:106823. Available from: <http://dx.doi.org/10.1016/j.vph.2020.106823>

Suzuki YJ, Gychka SG. SARS-CoV-2 Spike Protein Elicits Cell Signaling in Human Host Cells: Implications for Possible Consequences of COVID-19 Vaccines. *Vaccines (Basel)* [Internet]. 2021 Jan 11;9(1). Available from: <http://dx.doi.org/10.3390/vaccines9010036>

Ogata AF, Maley AM, Wu C, Gilboa T, Norman M, Lazarovits R, et al. Ultra-sensitive Serial Profiling of SARS-CoV-2 Antigens and Antibodies in Plasma to Understand Disease Progression in COVID-19 Patients with Severe Disease. *Clin Chem* [Internet]. 2020 Sep 8; Available from: <http://dx.doi.org/10.1093/clinchem/hvaa213>

Kloc M, Uosef A, Kubiak JZ, Ghobrial RM. Exaptation of Retroviral Syncytin for Development of Syncytialized Placenta. Its Limited Homology to the SARS-CoV-2 Spike Protein and Arguments against Disturbing Narrative in the Context of COVID-19 Vaccination. *Biology* [Internet]. 2021 Mar 19;10(3). Available from: <http://dx.doi.org/10.3390/biology10030238>

Khan I, Hatiboglu MA. Can COVID-19 induce glioma tumorigenesis through binding cell receptors? *Med Hypotheses* [Internet]. 2020 Nov;144:110009. Available from: <http://dx.doi.org/10.1016/j.mehy.2020.110009>

Singh N, Bharara Singh A. S2 subunit of SARS-nCoV-2 interacts with tumor suppressor protein p53 and BRCA: an in silico study. *Transl Oncol* [Internet]. 2020 Oct;13(10):100814. Available from: <http://dx.doi.org/10.1016/j.tranon.2020.100814>

Madla CM, Gavins FKH, Merchant H, Orlu M, Murdan S, Basit AW. Let's Talk About Sex: Differences in Drug Therapy in Males and Females. *Adv Drug Deliv Rev* [Internet]. 2021 May 17; Available from: <http://dx.doi.org/10.1016/j.addr.2021.05.014>

European Medicines Agency. Assessment Report. Comirnaty (COVID-19 mRNA vaccine (nucleoside- modified)), EMA/707383/2020 Corr.1 [Internet]. 2021 Feb [cited 2021 Apr 13]. Available from: https://www.ema.europa.eu/en/documents/assessment-report/comirnaty-epar-public-assessment-report_en.pdf#page=45

European Medicines Agency. Assessment Report. COVID-19 Vaccine Moderna (COVID-19 mRNA Vaccine (nucleoside-modified)), EMA/15689/2021 Corr.1 [Internet]. 2021 Mar [cited 2021 Apr 13]. Available from: https://www.ema.europa.eu/en/documents/assessment-report/covid-19-vaccine-moderna-epar-public-assessment-report_en.pdf#page=47

European Medicines Agency. Assessment Report. COVID-19 Vaccine Janssen, EMA/158424/2021 [Internet]. 2021 Mar [cited 2021 Apr 13]. Available from: https://www.ema.europa.eu/en/documents/assessment-report/covid-19-vaccine-janssen-epar-public-assessment-report_en.pdf#page=50

Pfizer. SARS-CoV- 2 mRNA Vaccine (BNT162, PF-07302048) 2.6.4 Yakubutsu dōtai shiken no gaiyō bun [summary of pharmacokinetic studies] [Internet]. 2021 [cited 2021 May 28]. Available from: https://www.pmda.go.jp/drugs/2021/P20210212001/672212000_30300AMX00231_l100_1.pdf#page=16

CDC. Selected adverse events reported after COVID-19 vaccination [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/safety/adverse-events.html>

Doshi P. FDA response to BMJ on reports of death after covid-19 vaccination [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.bmj.com/content/372/bmj.n149/rr-25>

Wyller TB, Kittang BR, Ranhoff AH, Harg P, Myrstad M. Nursing home deaths after COVID-19 vaccination. *Tidsskr Nor Laegeforen* [Internet]. 2021 May 20;141. Available from: <http://dx.doi.org/10.4045/tidsskr.21.0383>

Torjesen I. Covid-19: Pfizer-BioNTech vaccine is "likely" responsible for deaths of some elderly patients, Norwegian review finds. *BMJ* [Internet]. 2021 May 27 [cited 2021 May 28];373. Available from: <https://www.bmj.com/content/373/bmj.n1372>

Food and Drug Administration. Coronavirus (COVID-19) update: FDA Issues Policies to guide medical product developers addressing virus variants [Internet]. 2021 [cited 2021 May 28]. Available from: <https://www.fda.gov/news-events/press-announcements/coronavirus-covid-19-update-fda-issues-policies-guide-medical-product-developers-addressing-virus>

Owens C. Vaccine boosters could be necessary as soon as September [Internet]. *Axios*. 2021 [cited 2021 May 28]. Available from: <https://www.axios.com/coronavirus-vaccines-boosters-pfizer-moderna-e8d6bed6-8238-4e52-9959-ca4c6a6e0d5a.html>

Polack FP, Thomas SJ, Kitchin N, Absalon J, Gurtman A, Lockhart S, et al. Safety and Efficacy of the BNT162b2 mRNA Covid-19 Vaccine. *N Engl J Med* [Internet]. 2020 Dec 31;383(27):2603–15. Available from: <http://dx.doi.org/10.1056/NEJMoa2034577>

Baden LR, El Sahly HM, Essink B, Kotloff K, Frey S, Novak R, et al. Efficacy and Safety of the mRNA-1273 SARS-CoV-2 Vaccine. *N Engl J Med* [Internet]. 2021 Feb 4;384(5):403–16. Available from: <http://dx.doi.org/10.1056/NEJMoa2035389>

Thacker PD. Covid-19: How independent were the US and British vaccine advisory committees? *BMJ* [Internet]. 2021 May 26;373:n1283. Available from: <http://dx.doi.org/10.1136/bmj.n1283>

Moderna. SARS-CoV-2 mRNA Vaccine (Moderna) 2.6.4 Yakubutsu dōtai shiken no gaiyō bun [summary of pharmacokinetic studies] [Internet]. 2021 [cited 2021 May 29]. Available from: https://www.pmda.go.jp/drugs/2021/P20210519003/400256000_30300AMX00266_l100_1.pdf#page=7

Order "*Slanted: How the News Media Taught Us to Love Censorship and Hate Journalism*" by Sharyl Attkisson today at [Harper Collins](#), [Amazon](#), [Barnes & Noble](#), [Books a Million](#), [IndieBound](#), [Bookshop!](#)

Support the fight against government overreach in Attkisson v. DOJ and FBI for the government computer intrusions.
Thanks to the thousands who have already supported!

About Sharyl Attkisson

Emmy-Award Winning Investigative Journalist, New York Times Best Selling Author, Host of Sinclair's Full Measure

Comments

Jim33707 says

JUNE 28, 2021 AT 9:11 AM

Thank you for the public service. The CDC/NIH gives us the spin that best protects their rice bowls.

Reply

Terry Quinn says

SEPTEMBER 9, 2021 AT 7:13 PM

A relative of mine pointed out that even the CDC says that people die from the COVID-19 vaccine. So I looked at the data, and it was true, that 7,218 people have died after taking the COVID-19 vaccine. Not all of those were from the vaccine, but let's say it was. This was after administering 369 million doses of the vaccines. Then I looked into how many people who died from COVID-19 that didn't take the vaccine. And it turns out that 15 times more people die from COVID-19 if they do not take the vaccine, than those that did take the vaccine. If you combine these two ratios, it comes down that you are 75 million times more likely to die from COVID without taking the vaccine, than with taking the vaccine. Unless I've made a mistake, I'm taking the vaccine because I have a 75 million times more likely to live than what would happen to me if I don't take the vaccine.

[Reply](#)

Anonymous says

SEPTEMBER 12, 2021 AT 7:09 PM

Without even bringing the distributions and data into this conversion, gross misapplication of Bayesian probability, the assumptions to try to do these back-of-envelope calculations, and a basic check of deaths of unvaccinated due to COVID versus death attributed to vaccinations, I cannot even decipher how you come up with $7.5 \cdot 10^7$ times greater probability with your calculations.

[Reply](#)

Filipe Oliveira says

SEPTEMBER 13, 2021 AT 12:47 AM

sure ur numbers of deaths are since the begining of the pandemic when you should calculate since the 1st inoculation for u have a fare result, or else no use on those statistics.

[Reply](#)

Carrie says

SEPTEMBER 13, 2021 AT 10:09 AM

So with all of the vax deaths being less than c19 deaths , that makes it okay to be on the market? That makes it okay to push the agenda? I think not. If you yourself want to have the jab that's fine, but it should not be pushed .

[Reply](#)

Kristine Hancock says

OCTOBER 1, 2021 AT 8:40 AM

Exactly!! The survival rate of the virus for age 60+ is 99.6%!!! I'll take my chances with the virus.. I've never had the flu, never had a fever, haven't even had a cold since I can't even remember. I eat healthy, get a little exercise gardening, take a multivitamin everyday along with extra C and D and

Elderberry syrup daily. I'll be 70 in January!!
Take care of your body and your body will take care of you!!!

[Reply](#)

Danny says

OCTOBER 12, 2021 AT 3:31 AM

You are completely right. If one doesn't care about his body (cigarettes, junk food etc.) the body will get sick sooner or later. But otherwise, if you take care, take your Vitamin D and trust in your body you won't have to take this silly vaccine. Human kind survived all this thousands of years, so it can't be totally wrong, can it?

Here in Switzerland they are completely crazy and force you to take the stab like we were in Germany 1941! Don't let the government force you into this!!

Chris says

SEPTEMBER 13, 2021 AT 2:52 PM

This is patently incorrect. For your hypothesis to have any legs, all PCR testing would have to be 100% accurate and even the NYT reported it's likely 90% inaccurate.

[Reply](#)

Data2 says

SEPTEMBER 13, 2021 AT 5:14 PM

Please stop. You have absolutely no idea how to do basic math based on your statements much less statistical math.

In data, there are "key words" that matter when mathematics is put in to context.

1st- doses is not the same as people.

2nd - a person only fits in a specific subset of the actual people represented in both data sets.

You cannot compare a subset with a specific "risk calculation" to a whole and get what you're looking for.

[Reply](#)

Thinker says

SEPTEMBER 13, 2021 AT 6:23 PM

CDC Considers people NOT vaccinated when they are less than 2wks after the 2nd shot. Lies, blatant lies and statistics.

[Reply](#)

Richie Morningstar says

SEPTEMBER 13, 2021 AT 10:29 PM

Not everyone on the planet will get Covid.They have 0 chance of dying or getting sick. By taking the shot they definitly risk getting sick or worse for no reason at all. Your formula didnt include that factor. Hope this helps somebody, if it doesnt forgive me. And thanks Mrs. Attkisson for letting us respond .

[Reply](#)

John says

SEPTEMBER 14, 2021 AT 4:35 PM

Unfortunately Terry, your source of Covid related deaths is questionable. If you review some of the death certificates, there are those with up to 4 different co-morbidities, including gun shots, but as long as there was a diagnosis of Covid, the death was ruled "Covid". Hospitals were paid a bonus for Covid caused deaths.

Take the drug (not a "vaccine", btw if you do a little research and please, not from reality tv), and may God be with you.

[Reply](#)

Richard Greene says

SEPTEMBER 15, 2021 AT 1:37 PM

The article is about short term adverse side effects from the vaccine, not COVID deaths.

The last VAERS report on Friday, September 10, was 799,000 reported adverse side effects.

Studies of VAERS suggest no more than 10% of adverse effects ever get reported -- and probably much less than 10%.

The 799,000 included 14,506 deaths and 2.15% and 18,439 permanent disabilities.

Some percentage of them can be attributed to the vaccines, and others can not be proven to be caused by the vaccines.

Let's say 50% and 50%.

But when you consider the small percentage of adverse side effects ever reported, the REAL number of vaccine-caused deaths and disabilities is likely to be significantly higher than reported. to VAERS.

This is the most dangerous vaccine in US history, by far, with the fastest deterioration of vaccine induced antibodies ever.

And the long term adverse side effects remain unknown,

This article is only listing short term adverse side effects.
It should say that in the first sentence, but does not.

Concerning deaths from COVID itself:

They were a tiny percentage of infections in 2020 after the initial death spike in the Spring (excluding nursing homes) BEFORE there were any vaccines.

:Less than 5 deaths per 1,000 for people outside of nursing homes (where the death rate was much higher.

So if the COVID survival rate was 99.5% outside of nursing homes, BEFORE there was a vaccine. ... That means even a PERFECT vaccine with no deaths as side effects, could only improve the survival rate by 0.5 percentage points.

During the two month drug trials for Pfizer and Moderna, before EUA, with about 40,000 people total, roughly 99% of the subjects did not get any COVID symptoms.

The difference between subjects getting placebos, and subjects getting real vaccines averaged about 1% for both vaccines combined

So the absolute risk reduction from the vaccines averaged only 1%.

[Reply](#)

Bully Pilpul says

SEPTEMBER 17, 2021 AT 4:23 PM

VAERS lists 14,506 Deaths and 675,591 Injuries in the US as of September 3rd, and Eudra-Vigilance, the European Union's Database of Adverse Drug Reactions, lists 24,526 Deaths and 2,317,495 Injuries as of September 11th. Many of those approximately 3 million Injuries are devastating, and many will lead to a much shortened lifespan.

<https://openvaers.com/covid-data>

<https://healthimpactnews.com/2021/24526-deaths-2317495-injuries-following-covid-shots-reported-in-european-unions-database-of-adverse-drug-reactions/>

[Reply](#)

Lily Anne says

OCTOBER 3, 2021 AT 10:19 PM

Yeah but they're also not considering you vaccinated until 2 weeks after your last booster shot, and considering something like 60% of hospital patients have had at

least 1 shot and have covid, dont you wonder how many adverse reaction deaths are not actually counted as vaccinated deaths?

Reply

Harvey says

OCTOBER 4, 2021 AT 11:46 AM

You are out of your mind. Your calculations are not valid. The published rate of survival for almost everyone is over 99.9% if less than 70 years old...and that is if the person with COVID-19 does not get ANY treatment. Do some independent research and stop listening to the fake news and media who are suppressing the true science and doctors who are trying to warn the public!!!

Reply

David Stadulis says

OCTOBER 7, 2021 AT 8:45 AM

Terry,

Most drugs/vaccines are stopped after 25-50 reported deaths. We have 7-10K reported in VAERS. We have a whistleblower from the CDC who says more like 48k dead. But let's just say it is low at 5k dead. That's 100x the previous threshold upper limit of 50 dead to stop a drug or vaccine.

What you are saying is you are willing to sacrifice another person's, otherwise healthy, life as a byproduct so you can feel safer. I called that extremely selfish. Reminds me of a scene in one of my kids favorite movies. Maybe you've seen it.

<https://youtu.be/hiKuxfcSrEU>

Reply

KipK says

OCTOBER 7, 2021 AT 9:46 PM

Wrong. It's just the opposite.

If you get off mainstream media you will see it's true.

As of October 2021 the CDC admits to 15,000 deaths from the vaccine.

In a normal year there are 100 deaths from the flu vaccine. This year there's been over 80,000. Smell something fishy?

And that's just the tip of the iceberg.

Don't take it!!

Reply

Tom says



OCTOBER 9, 2021 AT 10:17 AM

Only problem is that protection from severe covid wanes from two months until it disappears at eight months. So you not only have the risk of dying from covid, but you add the risk of dying from vaccines.

By contrast, if you have a plan to treat covid early with antivirals, you have far less risk than if you merely get vaccinated--about 20% of the risk for those who have no such plan.

The vaccines are safe and effective...for pharma, which has bullet-proof immunity from adverse events lawsuits.

[Reply](#)**NIKITA says**

SEPTEMBER 15, 2021 AT 12:31 AM

Go to <http://www.covid19exposed.net> and click DOWNLOAD SPECIAL REPORT This research team has the largest database in the United States dedicated to exposing the vaccines, the virus, the pandemic and the perpetrators. You will be downloading and reading the 236 page VAX-CON 21 REPORT. Do it right away. And type in the whole <http://www.covid19exposed.net> web address manually. Do not use a Google search. They are blocking us. You can also reach us through our website email.

[Reply](#)**Nate Klingenstein says**

JUNE 30, 2021 AT 2:03 AM

I concur with most of your points, but I would add a big one about immunological imprinting -- the difficulty in administering a revised vaccine for a mutated pathogen that the body thinks it already recognizes. You can find plenty in the literature about that.

I'd also mention ADE, which has been documented to occur in COVID-19.

Finally, the mRNA vaccines do offer a substantial boost in SARS-CoV-2 immunological metrics to convalescents when administered as a single dose, so I don't think it's fair to say that vaccines aren't effective for convalescents. It may be fair to say they're unnecessary.

[Reply](#)**Marc Authier says**

JULY 13, 2021 AT 11:45 AM

Well they are not safe, untested, dangerous and experimental. So you think people were informed by the criminal MDs that these vaccines are not even approved by the

criminals from the FDA, CDC and other health agencies. It is truly a crime against humanity well defined by the Nurenborg Code and the Helsinki Convention. Here are two stories of mine. First my stupid friend I warned not to take it. But he is a TV addict and simple minded. So brainwash worked wonderfully. He ended up after the first shot by Pfizer with a blood clot in the brain and paralysis. Then there is my stupid niece in Israel. We warned her repeatedly with tons of researches and comments done by Dr Michael Yeadon an ex director of Pfizer (and other virologists) who warned about the dangers of these experimental vaccines. She was pregnant. So guess what happened next. A few days later she lost the baby but rest assured the criminal israeli MDs said to her it is not related.. In both case the MDs did not and will not report the events as a damage resulting from the vaccine.. Our politicians are truly criminals to go along with what I consider criminals against humanity. All this for a disease that barely kills the ones that get the virus. I truly think we are dealing here with something else than medicine. These people are almost doing it on purpose. Maybe they are.

[Reply](#)

Freedom Fighter says

JULY 15, 2021 AT 1:18 AM

DePopulation !!!

I Personally know of 4 DEAD post vax, 4 young men heart attacks (ages 19, 20, 22, 23) , 4 miscarriages (4 months, 6 months, 2- 7 month Babies) one blind 19 year old !!!

This is POISON!

An experimental bio-weapon- just wait till Infertility rates shoot through the roof!!!
Crimes against Humanity!

[Reply](#)

Kenny Hixson says

SEPTEMBER 9, 2021 AT 2:36 AM

The sad thing is the liberal retards in the US don't care one bit so long as the overall direction of the country is going the way they want it to go - basically down the toilet.

[Reply](#)

Blue says

JULY 18, 2021 AT 4:13 AM

MARC A., The good news is YOU can report the adverse reactions. You DO NOT NEED an md to do it.

Adverse reaction reports to covid "vaccine", as of July 7, 2021

9,048 DEATHS

26,818 HOSPITALIZATIONS

56,970 URGENT CARE

80,269 OFFICE VISITS

2,152 ANAPHYLAXIS

2,486 BELL'S PALSY
 985 Miscarriages
 3,324 Heart Attacks
 2,200 Myocarditis/Pericarditis
 7,463 Disabled
 2,226 Thrombocytopenia/
 Low Platelet
 7,823 Life Threatening
 19,105 Severe Allergic Reaction
 5,118 Tinnitus
 TOTAL: 220,869 Adverse reactions and deaths, INCLUDING almost 1000 PRE-BORN children miscarried, and many of their mothers died as well due to covid "vaccine" injections.

Adverse reaction reports to covid "vaccine", as of July 9, 2021

10,991 DEATHS
 30,781 HOSPITALIZATIONS
 59,402 URGENT CARE
 82,535 OFFICE VISITS
 2,487 ANAPHYLAXIS
 2,885 BELL'S PALSY
 1,073 Miscarriages
 3,906 Heart Attacks
 2,466 Myocarditis/Pericarditis
 9,274 Disabled
 2,552 Thrombocytopenia/
 Low Platelet
 8,832 Life Threatening
 19,814 Severe Allergic Reaction
 5,422 Tinnitus
 TOTAL: 264,828 Adverse reactions and deaths, INCLUDING almost 1100 PRE-BORN children miscarried, and many of their mothers died as well due to covid "vaccine" injections.
 This is 43,214 more adverse reactions than two days ago."

[Reply](#)

rooare says

JULY 24, 2021 AT 4:35 PM

There's an article at WND news source 7/20/21 reporting on a Federal lawsuit in Alabama alleging a massive gov coverup of death due to the 3 COVID vaccines. The source for the lawsuit is a gov insider with access to gov computers who is under Federal whistleblower protection and sworn under oath about this coverup. the alleged vaccine death toll is 45,000 and counting.

[Reply](#)

Lora says

SEPTEMBER 6, 2021 AT 4:10 PM

Would be curious to know the outcome!

Anna says

SEPTEMBER 13, 2021 AT 5:01 PM

Go to RENZ Attorney for latest result in deaths, by the whistleblower.

Professor g says

JULY 27, 2021 AT 4:10 PM

Can you send me link to this info. I want to track info.

Reply

Lisa says

SEPTEMBER 7, 2021 AT 12:30 AM

From America's Frontline Doctors

~Whistleblower Testimony: 45,000 Deaths Caused by the Vaccines ..
page 41....

From the testimony ...

" In her expert opinion, VAERS under-reports deaths caused by the Vaccines by a conservative factor of at least 5. As of July 9, 2021, VAERS reported 9,048 deaths associated with the Vaccines. Jane Doe queried data from CMS medical claims, and has determined that the number of deaths occurring with 3 days of injection with the Vaccines exceeds those reported by VAERS by a factor of at least 5, indicating that the true number of deaths caused by the Vaccines is at least 45,000."

file:///C:/Users/sixto/AppData/Local/Packages/Microsoft.MicrosoftEdge_8wekyb3d8bbwe/TempState/Downloads/M-for-PI-file-stamped.pdf

<https://americasfrontlinedoctors.org/legal/tro/>

NIKITA says

SEPTEMBER 15, 2021 AT 12:32 AM

Go to <http://www.covid19exposed.net> and click DOWNLOAD SPECIAL REPORT
This research team has the largest database in the United States dedicated to exposing the vaccines, the virus, the pandemic and the perpetrators. You will be downloading and reading the 236 page VAX-CON 21 REPORT. Do it right away.
And type in the whole <http://www.covid19exposed.net> web address manually. Do

not use a Google search. They are blocking us. You can also reach us through our website email.

Reply

Nate Klingenstein says

JUNE 30, 2021 AT 2:08 AM

Also, appended separately since I'm not sure URL's will get past your spam filter, there is collateral damage to the innate immune system that results from the mRNA vaccines.

<https://www.medrxiv.org/content/10.1101/2021.05.03.21256520v1.full-text>

Reply

Marty Kruse says

JUNE 30, 2021 AT 4:25 AM

Thank you for your courage to speak truth and great detailed reporting!

Reply

Chuck in Richmond says

JUNE 30, 2021 AT 12:27 PM

Private companies are required by law to announce the side effects of their medicines, both verbally and in writing, in their advertising. Public agencies promoting getting shots have not followed the same rules. Silence on the negatives. Thanks for countering their omissions.

Reply

John says

SEPTEMBER 14, 2021 AT 4:39 PM

Pharmaceutical companies do not announce all of the side of effects from gadolinium, used in MRI contrast. Why would these mRNA delivery systems be any different?

Reply

Angela Rogereson says

JULY 1, 2021 AT 4:52 PM

Thank you for presenting the news in such an unbiased fashion. You're doing great work!

[Reply](#)

Gail Finke says

JULY 3, 2021 AT 12:03 PM

My father-in-law contracted Guillain-Barre Syndrome in March less than two weeks after his second Moderna shot. He went to the ER after collapsing in his yard - he couldn't stand feet. They tested him for a stroke (negative) and sent him home, but he went back after it got worse. The doctor ordered a GBS test after hearing he'd recently had the vaccine, and it was positive. He was just found free of neurological symptoms this week but still has months of recovery; he was partially paralyzed for weeks and spent four weeks total in a hospital or rehab facility; he has lost 25 pounds and is much more frail; he was unable to do any fine motions with his hands for weeks; had balance issues; had medication issues; suffered all kinds of pain at night and was unable to sleep for weeks and still requires medication to help. And you know what? No one cares, because "at least he didn't get Covid!" He is in his 80s but was extremely active -- driving, doing vigorous yard work including digging up bushes; swimming every day. His active life may now be effectively over. It makes me so angry. GBS is extremely rare, and only a minority of those extremely rare people get it without first being sick with a virus. He wasn't sick with anything.

[Reply](#)

Mary Ann Johnston says

JULY 15, 2021 AT 5:35 PM

Gail, sorry to hear of your father-in-laws adverse reaction. I can sympathize with the family. My father in 1982 was a healthy 52yr old w/no comorbidities and had accumulated a year in hours of sick leave as a civilian at Luke AFB. It was also March that he & my mother went for the flu shot. 2 weeks later they thought he had a heart attack, then thought stroke, then MS until a woman neurologist finally diagnosed him w/GBS. He laid in ICU totally paralyzed on a respirator 3 days short of a year. It really isn't as rare as they want to claim. I worked with a gal who GBS and a nurse friend said when she first started her nursing career her first 5 patients had GBS. I keep asking so am I predisposed? Why would I want to take this experimental non FDA approved vaccine when I know there is treatment for a virus that I know I will survive. My husband as had Bells-Palsy. Is he predisposed? As this is another neurological event from an experimental vaccine. There can not be a one size fits all and there must be Informed Consent. Blessings to your father in law.

[Reply](#)

Jaye says

JULY 19, 2021 AT 1:07 AM

I got diplopia (double vision) - another cranial nerve affliction like Bell's Palsy -- 10 days after my second pneumococcal shot - it took three months to go away. So

yes, i ask too - does this make me pre-disposed for possible "covid" vaccine side effects?

Watching and waiting before my hand gets forced - by travel requirements - which will be the only way I will even consider this experimental vaccine for a 99% recovery flu.

Reply

Joe Cooper says

SEPTEMBER 13, 2021 AT 8:59 PM

It's only forced if you comply. Skip the flight then and drive. Got to get your priorities straight.

Reply

Darnell says

JULY 6, 2021 AT 7:56 PM

The links on this page (<https://sharylattkisson.com/2021/07/exclusive-summary-covid-19-vaccine-concerns/>) for "frail elderly" do not go to a working page. Please fix this.

Reply

Antonio Chaves says

JULY 9, 2021 AT 12:49 PM

Vaccine-related deaths are 5X higher than what was reported on VAERS. Here are instructions for accessing this concealed data from the CDC: <https://rumble.com/vjav3j-navigating-the-cdcs-weekly-provisional-counts-of-death-website.html>

Reply

rooare says

JULY 24, 2021 AT 4:39 PM

There's a Federal lawsuit in Alabama on this reported by WND news source 7/20/21.

Reply

Antonio Chaves says

JULY 12, 2021 AT 6:46 PM

Can you ask the CDC why "unclassified" deaths surged to over 30,000 after COVID vaccines were introduced in December? Here are video instructions for getting this data from the CDC's website: <https://rumble.com/vjav3j-navigating-the-cdcs-weekly-provisional-counts-of-death-website.html>

[Reply](#)**Marcia says**

JULY 12, 2021 AT 8:21 PM

I didn't see Canada on the adverse effects of the vaccines I don't want to get any of them. I also have thyroid disease and I look for natural remedies for my problem

[Reply](#)**Rick Solman says**

JULY 13, 2021 AT 12:49 PM

It is important that adverse reactions to the Covid vaccines be reported. This news is being repressed by the main-stream media. It is beyond belief that the US government gave approval for mRNA gene therapy on a mass scale without long-term testing. This is a technology that has never been employed in humans and it will be a generation before we know the full extent of the adverse consequences. The U.S. VAERS is recording significant numbers of deaths with potential links to Covid 19 treatments. No one talks about it. No one will ever admit that the decision to authorize this treatment was a mistake.

[Reply](#)**mjc227 says**

JULY 13, 2021 AT 2:15 PM

Why is the regime pushing this on children who are not affected by the kung flu? Why are they pushing this on people that have recovered from the kung flu? There are lots of questions and every day that goes by shows lots of good reasons not to get the mRNA shot but I can't any good reason to get it particularly after reading this.

[Reply](#)**Martha Owens says**

JULY 15, 2021 AT 11:57 PM

The fact sheet tell you after you have be advised by the jabber on the risk you have a right to refuse the shot. It's not mandated, you volunteer to take your kids to them and allow them to jab your kids. Just say NO!

[Reply](#)

Someday Girl says

JULY 13, 2021 AT 11:56 PM

What about vaccine alternatives? What about the use of HCQ and Vitamin D?
Also Ivermectin and Dr. Pierre Kory's MATH Protocol? Ivermectin is cheaper, safer, and effective. According to Dr. Peter McCullough, at Texas A & M in Dallas if ivermectin & HCQ had been used early on, 85% of the lives lost could have b/saved
What about Frontline Doctors?
What about Women and Fertility concerns?

[Reply](#)**Someday Girl says**

JULY 14, 2021 AT 12:15 AM

Ivermectin

<https://twitter.com/alanarchuleta1/status/1408174832139735041?s=21>

<https://youtu.be/5PyQmRMAMH4>

Dr. Manny Espinoza was a critically ill COVID-19 patient who was quickly deteriorating. His wife, also a physician, learned of the FLCCC's MATH+ Hospital Treatment Protocol and acted quickly to have her husband flown to United Memorial Medical Center in Houston to give him access to the drug that would save his life.

[Reply](#)**Ari Goldberg says**

JULY 20, 2021 AT 4:20 PM

Hi Sharyl, At the end of your 7/1/21 podcast on Covid-19 vaccine safety, you said, "...most people will not suffer these very serious adverse events..." This is making a scientific judgment, which I'm not sure it's wise for you to make. One of the papers you cited in the podcast included concerns over ADE, antibody-dependent enhancement, and nobody knows what the extent of this issue will be. The clinical trials won't be done for another year and a half, which also adds to the uncertainty about the extent of severe side effects. Also, Luc Montagnier, Geert Vanden Bossche, and others believe the vaccination program is causing more deadly and infectious variants, and we don't know how many people will be hospitalized or die. So there are still too many unknowns. Also, your statement is so vague it can hardly reassure anybody. If 49% of the vaccinated eventually have "very serious adverse events", your statement will have been technically correct, but how is that solace for anybody?

[Reply](#)

Anthony Dragunas Jr. says

JULY 24, 2021 AT 1:04 PM

I am fighting with my parents over vaccination of my 12 year old daughter! She's healthy no preexisting conditions whatsoever! It's my understanding that young healthy children are not getting COVID unless they have preexisting conditions as per Hopkins recent publications!

I personally am vaccinated. I am 54 yrs. of age . High blood pressure & recent mild heart attack . Not to mention the Covid 47 lbs. syndrome! I have really put on the pounds since the lock downs ! But I am very concerned that my daughters school will make rules that shame young people & their parents to take the vaccine or else! Face the mob ! My daughter has all her required school vaccinations. I am just another concerned parent & I am looking at the Health risks -VS- Benefit to my healthy young daughter ! If the teachers are vaccinated why mask our children? The teachers Unions have been bullying us parents & are so political; it's ridiculous! Cheryl Attkisson is a fantastic independent journalist I enjoy watching her show most weekends! God bless America!

 MAGA Movement 

Reply

Shelly says

AUGUST 18, 2021 AT 5:45 PM

You should have serious concerns about gardasil. Just sayin.

Reply

Lawrence Falkenstein says

AUGUST 26, 2021 AT 1:04 PM

Personally, I'd favor a healthy immune system, such as your daughters, against a coronavirus over a so-called vaccine that quickly loses its effectiveness.

Reply

Richard Greene says

JULY 24, 2021 AT 4:36 PM

Great article.

Good website.

I don't understand why I waited until last week to see if Sharyl had a website

New VAERS data released today for the week ending July 16, 2021:

I find the data hard to believe.

A HUGE +90,000 more adverse reactions added this week
 But only very tiny +265 of them are said to be deaths.
 After +2000 more deaths reported in each of the prior two weeks

I am trained to spot BS -- I have a BS degree.
 My internal BS meter is flashing.

I noticed Antonio Chaves has commented here.
 I've read several of his articles at American Thinker.
 His comments here are hard to believe.
 But I believe them.
 My internal BS meter does not flash
 when I read his articles and comments.

Of course we have no idea what the long term adverse vaccine effects will be.

But judging by the unprecedented number of adverse side effects so far,
 it would seem like wishful thinking to expect minor long term adverse effects.

I have not taken the vaccine, or any other vaccine in the past 60 years.
 I'm not anti-vaxx, but had a severe allergic reaction to a vaccine as a child.
 And that was my last vaccine ever -- not even a smallpox vaccine.
 I would never take an experimental vaccine, whether i had allergies or not.

The absolute risk reductions for the current vaccines were tiny:
 -- The relative risk reduction (RRR) is best for selling vaccines
 -- The absolute risk reduction (ARR) is meaningful for the general public.

Vaccine	RRR	ARR
Pfizer	95%	0.84%
Moderna	94%	1.2%
Gamaleya	91%	0.93%
John. & John	67%	1.2%
AstraZeneca	67%	1.3%

[Reply](#)

Richard Greene says

JULY 25, 2021 AT 10:39 AM

Let me add additional information to my prior comment:

The risk reductions shown were ONLY for "mild COVID symptoms"
 and did not include the much rarer "severe COVID symptoms"

Severe COVID symptoms do not include death, because no one died in those two months, whether COVID vaccinated or placebo vaccinated.. So the trial did not prove the vaccines prevent death, although that is a reasonable assumption from the results. The vaccines do not prevent infections -- they lessen symptoms, and hopefully prevent people from needing to go to hospitals.

In Israel I the effectiveness of the Moderna and Pfizer medicines on the Delta variant have been poor. There are also indications from Israel that the vaccine inspired antibodies begin losing effectiveness after six months and an annual booster shot will be needed.

The long term effects of tricking the human body into manufacturing spike proteins is unknown. These experimental medications did not have animal tests. Or long term human tests.

Prior attempts to use mRNA technology for other diseases, which were all failures, had been animal killers. That potential problem was avoided this time by skipping animal testing.

I did not have the "severe COVID symptoms" risk reduction numbers for all the vaccines, but I do have them for the two most common vaccines: Much smaller for the Pfizer vaccine:

Moderna absolute risk reduction of severe COVID symptoms only = 0.22%

Pfizer absolute risk reduction of severe COVID symptoms only = 0.035%

You can add these numbers to the ARR numbers for mild COVID symptoms in my prior comment.

The numbers are based on only two months of testing, on a batch of healthy people (above average), between the ages of 18 and 55. There may have been a few subjects over 55. None of the subjects were pregnant.

[Reply](#)

rooare says

JULY 24, 2021 AT 4:47 PM

Thanks for the article Sharyl A. have passed it on. It's rather ghoulish to use the entire world population as guinea pigs me thinks.

[Reply](#)

Ec says

JULY 25, 2021 AT 7:02 PM

The link with Linda Wastila's name takes you to regulations.gov but it does not show the petition and instead gives several canned reasons for it not being there. More censorship?

[Reply](#)

Hillary says

AUGUST 3, 2021 AT 8:11 PM

Sharyll, please remove the reference to an affiliation with Baylor when you refer to Dr. McCulloch. He separated from Baylor some time ago and this is just what they are suing him for. Baylor Scott and White in Dallas is engaging in a punitive lawsuit against Dr. McCulloch that is frivolous and does not disguise their underlying motive which is to silence

a voice of authority, respect and expertise who reports the DATA on the substantial safety issues related to these vaccines and who has said from early in the pandemic that safe, effective, inexpensive is available.

[Reply](#)



Sharyl Attkisson says

AUGUST 3, 2021 AT 10:13 PM

thank you

[Reply](#)

Marc Maximilien Authier says

AUGUST 6, 2021 AT 9:09 PM

Fantastic article. Sums up in detail what is going across the globe not just in USA. Very good journalism !!!!! Lets face it. THEY WANT US DEAD. The dark agenda here is mass extermination of most of us by the evil nazi like globalists. I used to think Alex Jones was a little bit of a nut. He still is but strangely he was spot on. The globalist agenda is genocide !!!!! The vaccine now is killing more people than even the virus. We have zero evidence that it immunize. Worse it is mutating the virus and making it more potent. They call the phenomena ADE antibody dependent enhancement or pathogenic priming. In sum our criminal mass murdering politicians are working real hard at creating an even bigger pandemic to democide billions of humans !!!!!!! I know it seems stuff from a dystopian science fiction novel but look at the numbers.. The vaccines are UNSAFE, UNTESTED, DEADLY, DANGEROUS weird experimental gene therapies and they are now killing and damaging people in the millions !!!!!!! We will need another Nurenburg trial for these new NAZIS !!!!!

[Reply](#)

Mathew Reese says

SEPTEMBER 1, 2021 AT 4:50 AM

These people are not new NAZIS, they have always been NAZIS. These are the same people (the Rockefeller and the Rothschild families and the elite families they represent) that financed Hitler prior and during the WW2. They have embraced the eugenic (reduction of the world's population) ideas more than a century ago. Maybe you don't know how the WHO was created. The Rockefeller foundation has created an organization embracing the eugenic ideas prior the creation of the WHO. When the WHO was created, suprisingly (or not) the same people that worked in that organization have been employed in WHO. Maybe you don't know that one of the ideas behind the creation of The Club Of Rome (the elitist club created by the Rockefellers in 1968) is to convince the world, that the worlds population is too much and has to be reduced.

[Reply](#)

MANISH JOSHI says

AUGUST 17, 2021 AT 12:54 PM

Dear Sharyl

Since your last show on natural immunity protection, the data is now unequivocal that it is the best protection specially when vaccines failure is evident and breakthrough infections are soaring worldwide

Below is the data summary we commented in JAMA for the readers; would like you to produce another show to reflect this new evidence .

June 8, 2021

We must stop ignoring natural immunity - it's now long overdue

Manish Joshi, MD

This article by Vitale et al.

(<https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2780557>) is another addition to a growing body of literature supporting the conclusion that natural immunity confers robust, durable, and high-level protection against COVID-19 (1-4). Yet some scientific journals, editorial commentary associated with this article, and public policy messaging continue to cast doubt. That doubt has real-world consequences, especially, for resource limited countries. We would like to review available data.

Infection generates immunity. The "SIREN" study in the Lancet addressed the relationships between seropositivity in people with previous COVID-19 infection and subsequent risk of severe acute respiratory syndrome due to SARS-CoV-2 infection over the subsequent 7-12 months (1). Prior infection decreased risk of symptomatic re-infection by 93%. A large cohort study published in JAMA Internal Medicine looked at 3.2 million US patients and showed that the risk of infection was significantly lower (0.3%) in seropositive patients v/s those who are seronegative (3%) (2).

Perhaps even more important to the question of duration of immunity is a recent study that has demonstrated the presence of long-lived memory immune cells in those who have recovered from COVID-19 (3). This implies a prolonged (perhaps years) capacity to respond to new infection with new antibodies.

In contrast to this collective data demonstrating both adequate and long-lasting protection in those who have recovered from COVID-19, the duration of vaccine-induced immunity is not fully known. To date >10,000 breakthrough infections (2 weeks after completion of vaccination) have been reported by CDC in the US, with a mortality of ~2% (5).

How should we use the collective data to prioritize vaccination? These new data support simple and logical concepts. The goal of vaccination is to generate memory cells that can recognize SARS-CoV-2 and rapidly generate neutralizing antibodies that either prevent or mitigate both infection and transmission. Those who have survived COVID-19 must almost by definition have mounted an effective immune response; it is not surprising that the evolving literature shows that prior infection decreases vulnerability. In our view, the data suggest that people confirmed to have been infected with SARS-CoV-2 may not need vaccination, and do not need vaccination in the short term. Given the number of persons who have been infected, this simple approach could free up vaccine (estimated ~200 million doses) for the more vulnerable population around the globe and could accelerate vaccine roll-out tremendously for those in need.(6) We should not be debating the implications of prior infection; we should be debating how to confirm prior infection.

Manish Joshi, MD
Thaddeus Bartter, MD
Anita Joshi, BDS, MPH

1. Hall VJ, Foulkes S, Charlett A et al. SARS-CoV-2 infection rates of antibody-positive compared with antibody-negative health-care workers in England: large, multicentre, prospective cohort study (SIREN). Lancet. 2021
2. Harvey RA, Rassen JA, Kabelac CA, et al. Association of SARS-CoV-2 Seropositive Antibody Test With Risk of Future Infection. JAMA Intern Med.
3. Turner, J.S., Kim, W., Kalaidina, E. et al. SARS-CoV-2 infection induces long-lived bone marrow plasma cells in humans. Nature 2021
4. Wang, Z., Yang, X., Zhong, J. et al. Exposure to SARS-CoV-2 generates T-cell memory in the absence of a detectable viral infection. Nat Commun 12, 1724 (2021).
5. <https://www.cdc.gov/mmwr/volumes/70/wr/mm7021e3.htm>
6. Kuehn BM. High-Income Countries Have Secured the Bulk of COVID-19 Vaccines. JAMA. 2021;325(7):612

Reply

Bart says

SEPTEMBER 6, 2021 AT 1:37 PM

Agree. As a follow-up, maybe a very relevant question is the following:

What is the safest protocol for intentionally getting infected w/ COVID to not only recover quickly and w/o Long COVID residuals, but developing a durable and prolonged immunity to COVID and its future variants?

Reply

JG says

SEPTEMBER 11, 2021 AT 12:45 AM

Contact Vlad Zelenko MD

Reply

Dr. John Wells says

AUGUST 17, 2021 AT 8:01 PM

A gem of an interview with Dr. Ryan Cole Wide ranging on vaccines, early treatments, and more.

<https://www.youtube.com/watch?v=tUE5EBPt-IU>

Reply

Anggerek says

OCTOBER 12, 2021 AT 3:21 PM

Video "has been removed for violating community guidelines".
Has it appeared anywhere else?

[Reply](#)

RICHARD R BAUMGARTNER says

AUGUST 20, 2021 AT 11:45 AM

Sharyl,

Thank you for all the resources that you have included. You would do yourself and your readers a favor by interviewing Dr. Bret Weinstein and Dr. Pierre Kory, Dr Robert Maline and Mr Steve Kirsch, who appear with Weinstein on Rumble. Dr Kroy appeared before the Senate and was ridiculed by the minority as being political. The above mentioned men are trying to get the truth out and their story is compelling. Please interview or refer to their research. Thanks.

[Reply](#)

B Ardtm says

AUGUST 24, 2021 AT 11:17 AM

This info is really scary, and what is even more unnerving is it seems lots of people don't even have a clue, as to the real issues at hand. Without some knowledge as to either the pros and cons of the issue how can you make good decision. Second, why is it that when people speak out against the vaccine or virus they get either censored or fact checked? First obvious question on the fact checkers, who did they vote for? These fact checkers are not independent or neutral, as they want us to believe, witch plays into their conclusion. As they say Garbage in Garbage out! So when people say they are going to fact check, it really doesn't mean anything! Maybe just another viewpoint that agrees with the asker. Censorship speaks for itself, as to what are they trying to hide? When something gets censored it tells you, that you better take second look at what's censored and why?

[Reply](#)

David says

AUGUST 25, 2021 AT 11:56 AM

Regarding this paragraph:

"Previously-infected
CDC falsely claimed that studies showed Covid-19 vaccines are effective for those who already had Covid-19. In fact, studies showed the opposite."

I have followed the link and tried to find the original data that Congressman Thomas Massie is referring to but I cannot find it. Right now I just have Congressman Thomas Massie's word but no actual data. If the congressman (and this report) is stating the CDC is lying, there should be a link to the CDC statement and a link to the data used which demonstrates their statement is false. I hope to eventually see a link.

[Reply](#)

Lan says

AUGUST 25, 2021 AT 3:27 PM

This is the first and only summary of adverse vaccine reactions I've found. My sister died two weeks ago of TTP ("thrombosis with thrombocytopenia"). She was one of the healthiest people I know before she got vaccinated. Three weeks after her second dose she was in the ER, the first of many trips there. The local hospital was completely flummoxed by the plethora of issues she was presenting: extreme gastrointestinal disorder; heart problems that numerous cardiologists could not identify; kidney failure and finally, blood clotting in her brain and a stroke. All were finally linked to micro-clotting throughout her bloodstream affecting all the major organs. Shortly before she passed the team of doctors treating her for TTP changed the diagnosis to something similar but even more rare than TTP and not associated with adverse vaccine reaction. They didn't even wait for lab confirmation of the new diagnosis before they put it on her death certificate. Now we're having problems getting the result of the lab test. No one else wants to talk about potential risks of vaccines and politicians want to mandate everyone get them. The adverse reactions are rare, but people should be able to get the information and evaluate the risk for themselves. The entire response to this virus has been autocratic and even the doctors and "science" have succumbed to the plague of autocratic certainty.

[Reply](#)

Joe Cooper says

SEPTEMBER 13, 2021 AT 9:03 PM

Adverse reactions are not 'rare', they're just severely underreported for a variety of reasons.

[Reply](#)

Geo says

AUGUST 27, 2021 AT 4:31 PM

<https://www.technocracy.news/coroner-certifies-bbc-personality-died-from-astrazeneca-vaccine/> BBC commentator was ruled death by vaccine by coroner.

[Reply](#)

John says

AUGUST 31, 2021 AT 2:27 PM

Even worse, did anyone see that the number of deaths in the two arms are now 21 vaccine v 17 placebo? Not the 15 v. 14 Pfizer reported weeks ago. Buried in the document on the FDA website. 20% increase in deaths I guess is "saving lives"

<https://covid1984.substack.com/p/comirnaty-summary-basis-for-approval>

Reply

Stephen Triesch says

SEPTEMBER 2, 2021 AT 7:18 PM

Despite all of these safety concerns raised by medical experts in numerous countries, the medical and political establishment (supported by the media) continues its frenzy for universal vaccination and the ostracism of the unvaccinated. Is anyone surprised that "conspiracy theories" abound?

Reply

Richard says

SEPTEMBER 5, 2021 AT 12:03 AM

Such an excellent and comprehensive statement against the prevailing media smog blowing. I wouldn't let that needle anywhere near my body. Same goes for a flue shot.

Reply

Citizen Wells says

SEPTEMBER 6, 2021 AT 8:39 AM

The link below does not work here or in the Wayback Machine:

"A petition of scientists led by Linda Wastila, Professor, Pharmaceutical Health Services Research University of Maryland School of Pharmacy is calling for Covid-19 vaccines to be disapproved."

It can be found here:

https://downloads.regulations.gov/FDA-2021-P-0521-0001/attachment_1.pdf

Reply

schutzhund says

SEPTEMBER 6, 2021 AT 8:46 AM

As Covid Cases Surge, CDC Does Not Legally 'Allow' Americans to Know Variant They Are Infected With

"The process of validating a next-generation sequencing test is burdensome," Wroblewski said. "It takes a lot of time. It takes a lot of data. It takes a lot of resources. And the thing about the variants is that variants of concern and of interest are constantly changing, so you would have to do a whole validation every time you have a variant."

Thus, the process for discovering if a particular Covid case is a specific 'variant' is not currently allowed for under the law.

"The letter of the law from CMS is that if you don't go through this full validation process, you cannot release the results with patient identifying information," Wroblewski said.

<https://beckernews.com/as-covid-cases-surge-cdc-does-not-legally-allow-americans-to-know-variant-they-are-infected-with-41329/>

Reply

raymond wright says

SEPTEMBER 6, 2021 AT 8:53 AM

Hi Sharyl, Just started reading this article. I have read your articles in the past you are what I consider

'A truth seeker" This is great research and data you have put forth.

Here's a guy that has been so correct over the past 20 months or more.

His latest article has the latest JAMA study and he goes on to unpack it.

His conclusion " These vaccines are worthless" probably doing more harm than good.

please take the time to read him.

<https://market-ticker.org/akcs-www?blog=Market-Ticker-Nad>

Reply

schutzhund says

SEPTEMBER 6, 2021 AT 8:59 AM

Has any other "vaccine" had the history of effects that the Covid vaccine is having?

Reply

Em says

SEPTEMBER 13, 2021 AT 5:39 PM

From my research, no other 'vaccines" have ever had these events. The reason is that these vaccines are altering the genetic DNA. • Here is a great explanation of how these vaccines work: <https://ifapray.org/blog/how-mrna-vaccine-affects-cells-visual-display/>

Reply

Edmund Podeszwa says

SEPTEMBER 6, 2021 AT 9:50 AM

Sharyl, many thanks for the work you do. You are the best.

[Reply](#)**Thomas Gearhart Sr.r says**

SEPTEMBER 6, 2021 AT 10:06 AM

My 90 year old Dad died 3 days after getting the 1st Pfiser shot on 3-1-21. He had abdominal pain that got progressively worse. ICU Dr told me that the CAT scan found blood clots in his abdomen. I reported this to VAERS. Please add my story to your list.

[Reply](#)**kittysmooches says**

OCTOBER 3, 2021 AT 9:22 PM

So sorry for your loss.

[Reply](#)**Dan S says**

SEPTEMBER 6, 2021 AT 10:28 AM

The vaccines weren't created for the virus. The vaccines were waiting for the virus. For the US to have not 1 but 3 covid-19 vaccines ready for testing within months and ready for EUA use in less than 8 months is unprecedented. Six covid-19 vaccines globally... impossible.

[Reply](#)**CourtHouseMouse says**

SEPTEMBER 6, 2021 AT 11:10 AM

Where is your GAB SHARE icon? many of us do not use MSM platforms of twit/fb. Please add a GAB SHARE icon.

[Reply](#)**yougottaloveme says**

SEPTEMBER 6, 2021 AT 5:45 PM

Sharyl, yours is a monumental service to humanity, stemming from a very strong talent and ability to follow through. Thank you.

Reply

Tech says

SEPTEMBER 7, 2021 AT 11:04 AM

Hi Sharyl,

Your article is literally, the best on the web in explaining what the vaccines are doing and the medical malpractice we are witnessing. Now to address the question, "Why?"

"What's going on? A Brief Summary"

Since China became communist, the Chinese and CCP never planned to get into a nuclear exchange with the US. They knew they would likely lose, or at best come out evenly destroyed.

So their leadership figured out a "long term" strategy of infiltrating and corrupting their enemies from within and then eliminating them stealthily with bio-weapons that could be presented as "natural" occurrences of "animal to man" virus transfers. Avoiding nuclear war or a conventional invasion force.

China has been releasing bio-weapon viruses since the late 90s into surrounding regions to further support this "illusion" of "a natural pandemic" so that when the time comes to attack they could wipe out half the world's population "stealthily" over a period of years, without being nuked in response.

To accomplish this, they knew they needed to be able to exert their influence and control the scientific and medical narrative about animal to man viruses via the WHO, NIH, CDC. After all, if the WHO and CDC say animal to man pandemics are occurring all over Asia, the world will believe.

China really believes they've figured a genius way around mutually assured destruction or conventional weapons invasion.

This is where we are now.

Big pharm was always selling unsafe poisons and would place ringers in the FDA and CDC to approve all but the most dangerous drugs and collect billions for a few years before the lawsuits piled up.

Once big pharm saved money by letting China produce the drugs, they were hooked like all the other businesses. Over decades they became dependent on the China production, and all their competition would steal their profits were they to leave China. So China had big pharm under it's control.

Their COVID "vaccines" and boosters are nothing of their kind.

These mRNA injections actually trick the body into not attacking spike proteins, by having it produce one of it's own via the mRNA injection. The quantum markers that our cells possess which protect them from our own immune response now were accompanying a spike protein. People who get the shots now have immune cells that have recorded a spike

protein with the body's own protective markers. Because the body produced it, the immune system marked it as "safe"

Literally, you could not design a shot more effectively to "suppress the immune system response" to COVID and spike protein viruses.

So now each injection, weakens the immune response and big pharm couldn't care who dies or experiences the horror list Sharyl has clearly described above. As long as they have immunity from lawsuits and the government gives them cover they will advocate pills, boosters and maybe even covid chewing gum to be used every day for the rest of your life.

The smartest of these people (like the two top FDA people who resigned) clearly know that the next big China bat-based virus bio-weapon release (likely Nipah) will seriously sicken or kill most of, if not all, the mRNA injected, genetically modified people. The more shots and boosters injected, the more vulnerable the individual becomes.

A real "vaccine" would have introduced a foreign virus and let the body develop a reaction and build an immunity. But none of these are real vaccines, they are immune system depressants!

China's serious intent to destroy the US was already discussed during the GHWB Presidency. But because the Bush family was already corrupted by external influences, nothing was done and when Clinton came into office, the compromising of our government by China was occurring at an insane pace.

No one really believed the "rice-eaters that drown their female babies" would ever pose a 'serious' threat to the dominance of the US.

But within 20 years of the GHWB presidency Beijing transformed faster than any city on Earth and their "long term, unlimited warfare" plan to destroy the West was paying incredible dividends. By this time (2010) they had secured our missile guidance systems, neutron bomb schematics, superiority-fighter designs and infiltrated all our universities and national laboratories transmitting data non-stop to China.

The CCP was very clever. They used our capitalist society against us. By providing slave labor to cheap companies, they eventually could control those companies. Once they controlled the companies, they could have those companies install politicians that would be on China's payroll as well. After all, it's the corporations that funnel all that money into campaigns and buy the offices.

After three decades of this manipulation, they now control most of the US government - by proxy.

Once they obtained control of our government, they could grant money and re-direct it towards their bio-weapons projects. This is where Fauci and the NIH come in. Fauci was just another govt courtesan taking bribes left and right.

To summarize, these are the closing years of World War 3. China has been waging this war for many decades. We are losing it because our govt is occupied and compromised and this happened because our corporations sold out and became equally compromised.

Our advice is simple. Share this information with people, so they know what's going on. The more people know what's going on, the likelier China would trigger a nuclear response to their next bio-weapon release that starts killing millions. They are trying to avoid that. We have to make sure they realize we know exactly what they are doing. And all the compromised people need to be equally aware that the "jig is up".

Understand the gravity of this situation. Don't take mRNA shots and understand why these are incredibly harmful to the body.

China declared "unrestricted war" on the US long ago and never "rescinded" this declaration.

China is our mortal enemy. They've already killed "many millions of people" in their attempt to pull off this global takeover.

Fight the enemy within our borders and without!

Knowledge is Power - so Stay Strong!

[Reply](#)

Gary Fumeaux says

SEPTEMBER 14, 2021 AT 11:26 AM

Hi Sharyl

Can you help?

In Switzerland, they are forcing the children to get vaccinated by making it difficult to get a COVID pass. A positive PCR test in the last 6mths is needed if you're not Vaxxed. .

I realize this is a strange request, but desperate times...

Do you know what substance/product if put up the nose before swabbing would guarantee a +ve PCR result?

Thanks for any help you can give

Kind regards

Gary

[Reply](#)



Sharyl Attkisson says

SEPTEMBER 14, 2021 AT 11:25 PM

Gary, I do not know, and would not recommend cheating, but according to virologists, you can be immune due to prior infection without a positive PCR test and even with a negative antibody test, so all of these measures being forced upon people are contrary to science.

[Reply](#)

Larry N. says

OCTOBER 3, 2021 AT 5:06 PM

We have elections coming up...Pray, Vote, Stand for what is right. So called liberals are not liberal but illiberal Marxists working for the CCC/One World Dictatorship/Rothschilds/Gates. Social Media and TV are brain washing everyone.....This is a really sad day that so-called smart Americans do not see the massive lies being dealt out and going along with these agendas. Please, each person look at this evidence and make a good decision to stand for what is right and boot out

the corrupt and manipulated politicians. Vote while you still can and get rid of the scoundrels. That will help.

I have been to China many times for my career and love the people, but absolutely do not trust the Chinese Communist Party. And now I really do not trust our government.

Last but not least, I believe in the second coming of Christ and the salvation offered through Jesus. Little do all these corrupt power mongers realize that God is ultimately in control and will wipe them out in due time. You can have hope even in the midst of these very troubling times. Pray to Him and may he bless you specially!

[Reply](#)

Mark Western says

SEPTEMBER 9, 2021 AT 11:34 PM

Has anyone done a study from the Vaers reporting system that identifies how long after having a Covid 19 vaccine (of any type) that the adverse reaction occurred. The argument against drawing a correlation in the vaers data is that there would be an unknown percentage of events that relate to coincidence. In other words, if someone has heart attack (just an example) two weeks after the vaccine, the correlation is weaker than if it occurred within 24 or 48 hours. I saw someone quote a percentage that related to adverse reaction within 24 hours and 48 hours, but there was no source for the analysis.

[Reply](#)

schutzhund says

SEPTEMBER 15, 2021 AT 8:27 AM

Excellent question!

[Reply](#)

Taurnil says

SEPTEMBER 10, 2021 AT 10:56 AM

I guessing the following question can be easily answered with a "no" but I will ask nonetheless;

Has any independent laboratory done a complete examination, analysis of the vaccine contents from all four companies? A Dr. Young supposedly has done such an investigation found here: <https://www.thelibertybeacon.com/dr-robert-young-finds-graphene-oxide-in-all-four-vaccines-and-other-disturbing-ingredients/>. Though I am not sure if it has been confirmed.

Frankly, if an when these big pharmas release whats actually in their vaccines I would not trust them to be truthful.

Reply

Tracy Inokon says

SEPTEMBER 11, 2021 AT 10:04 AM

Thanks for all your great research Sharyl, can you please clarify where this updated info is?
Can't find it here on page....

Updated Sept.10,2021 with Israel study on majority of hospitalized being vaccinated

Reply



Sharyl Attkisson says

SEPTEMBER 11, 2021 AT 3:15 PM

I think I included at bottom with studies and also within, search the post for "Israel"
sorry for the inconvenience.

Reply

Dan Schwartz says

SEPTEMBER 12, 2021 AT 9:54 AM

WELL-Sourced in American Greatness: Why Believing in Long-Term Vaccine Safety Is
Simply Irrational

Whether or not to get vaccinated is a decision that must be weighed differently and
individually by each American. Such decisions must remain in the core domain of personal
liberty.

FTA: We are told repeatedly and in ever-more-strident tones that the newly developed
COVID vaccines are "safe and effective." We are told that the elites are starting to lose
patience with us and, thus, are resorting to authoritarian measures to mandate compliance.
Ironically, we are told by people who routinely label President Trump a "fascist" that we
must be forced, for their sake, to undergo experimental medical procedures for which they
cannot be held liable should anything go wrong. We are told that if we do not subscribe to
the gospel they are preaching, we are science-deniers. And when we dare to raise our
voices in protest, the faceless tech monopolies that do their bidding label us dangerous
nonconformists and silence us.

The problem is that neither science nor basic logic is on their side. The simple argument
against their position does not require a Ph.D. in epidemiology to understand. But, in fact,
the Ph.D.s already get it, as do those with only a high school education. Indeed, proving
Alexander Pope's quip that "a little learning is a dangerous thing," it is those in between—
the ones who have the false confidence that comes from thinking themselves "educated"
but whose educations are not as thorough as that of some others—who are the least
vaccine-hesitant group in America. The Ph.D.s and those who have not submitted to the
indoctrination of our education establishment are the ones who have not lost touch with
the elementary common sense it takes to know that when the government comes a-
knocking to offer to stick you with a syringe loaded with a rushed, experimental vaccine

based on a new technology being implemented for the first time ever, a bit of "hesitancy" might be in order.

A Blur of Contradictions

Here is the simple argument: consider, first, how virtually everything you were told about COVID and the vaccines turned out to be wrong again and again and again. (Note that every single one of the links that follow is from a mainstream source and, in fact, I will not cite anything from a remotely questionable source in this entire article):

You don't need to wear a mask unless you're sick. Everyone should wear a mask. If you've been vaccinated, you don't need to wear a mask. Even the vaccinated need to mask up. You need to sanitize your hands, wipe down all surfaces and clean your home on a daily basis. COVID isn't really passed through surface-to-surface contact. COVID is a respiratory disease. No, COVID is a vascular disease.

We're going to lock down for 15 days to slow the spread. We're going to lock down for months on end. Now we can celebrate because COVID is over. COVID is back and might clear up by spring 2022 . . . or is it fall 2022? COVID will be with us forever now. COVID definitely did not leak from a lab, and that's a debunked conspiracy theory. There's a good chance COVID leaked from a lab. The death rate from COVID might be well over 1 percent. The death rate from COVID might be 0.65 percent. Or maybe more like 0.8 percent.

The herd immunity threshold is 67 percent. Or maybe far, far lower than that. Or is it significantly higher, closer to 80 percent? To tell you the truth, herd immunity might be unattainable. (more)

<https://amgreatness.com/2021/09/11/why-believing-in-long-term-vaccine-safety-is-simply-irrational/>

Reply

truth seeker says

SEPTEMBER 13, 2021 AT 1:39 PM

Thank you for your reporting by investigating and compiling this information. It's sad that we live in a world where information and scientific debate is shutdown on a global problem. The reason I originally decided not to get the jab was due to the censorship around the whole Covid topic and the sense that the world was being fed a narrative with leaders/media following a script. Now I'm convinced that it's all a script for a purpose other than the best interest of humanity. God help us!

Reply

Em says

SEPTEMBER 13, 2021 AT 5:23 PM

Thank you for exposing! Here are two additional sites worth tracking: (<https://chemicalviolence.com>), (<https://thecovidblog.com/>). I have seen nothing from any reputable origin that is good about these vaccines. I've been doing a running list for about 6 weeks. I happen to be someone that got Guillain-Barre syndrome from a flu shot in the early nineties and still suffer from residual neurological symptoms. This is real. This is a movement to depopulate the world (see depopulation.com). There is no longer any such

thing as health "care". Hospitals are letting people die untreated. Everyday they are committing medical kidnapping by not allowing any family advocates so they can do their killing without accountability. People, including young people, are dying right and left and hospitals are hiding it under the rug. As soon as anyone blows a whistle, they are fired. Please continue exposing the truth!

[Reply](#)

jan dennis says

SEPTEMBER 13, 2021 AT 11:20 PM

Add high anxiety and anger to the list. My adult developmentally disabled daughter ended up in the psyche ward after 2nd booster of Moderna in April. She is still struggling with anxiety and anger. I advised her not to take the shots, her dr yelled at her and told her she would die if she got covid and wasn't vaccinated.

[Reply](#)

Daniel Gage says

SEPTEMBER 13, 2021 AT 11:38 PM

Great, thorough information. Thank you for your research and investigative journalism. Please don't compromise and keep reporting truth.

[Reply](#)

jane says

SEPTEMBER 14, 2021 AT 8:11 AM

my brother died from Moderna on feb 19 2021. Sheryl, do you have a place i can record this? I already did Vaers, but not sure if they keep it recorded.

[Reply](#)



Sharyl Attkisson says

SEPTEMBER 14, 2021 AT 11:26 PM

I'm so sorry. VAERS is the main place I know of, though the vaccine companies should also be trying to track individually so you might also try contacting and reporting to Moderna.

[Reply](#)

Dave says

SEPTEMBER 14, 2021 AT 9:08 AM

Ask yourself why the government and big tech are censoring reports of successful use of Ivermectin, Hydroxychloroquine, and budesonide. They are doing it to allow the EUA and promotion of the use of a vaccine for an illness from which more than 99% of people recover. There is no need for all this misery and fear. We should be allowed to talk about and study any methods that can be used successfully to treat this virus.

Big tech is in bed with the government and Big Pharma to control the population of the entire world through fear with a nice little side benefit of making a huge pile of money, depopulating the earth, and ushering in the NWO so that all of us free people will be subject to the control of a few petty tyrants! This entire pandemic is nothing but evil incarnated!

Reply

Patty Amidon says

SEPTEMBER 14, 2021 AT 9:47 AM

Good information Sharyl!

Please look into the Stew Peters Show of July 28th with Karen Kingston, former pfizer employee who has tracked down the MSDS sheet of their shots. They are full of the toxin graphine oxide.

<https://rumble.com/vkgdq7-deadly-shots-former-pfizer-employee-confirms-poison-in-covid-vaccine.html>

Also Orwell City on Telegram broke with this story about the graphine oxide with slides showing it in the viles June 24th. They discovered this after seeing all the videos of people becoming magnetic after the shots.

<https://www.orwell.city/2021/06/graphene-oxide-in-vaccination-vials.html>

The graphine oxide in the body becomes activated by impulses from 5G towers etc. It damages the cells causing the symptoms of the covid virus. Their further investigations have them speculating that it is radiation poisoning happenind. People with geiger counters are testing the strength of the radiation coming from these towers etc.

More slides of the vaccines by Dr. Robert Young. These also show besides the graphine oxide the parasite Trypanosoma cruzi in slide #13.

<https://www.drrobertyoung.com/post/transmission-electron-microscopy-reveals-graphene-oxide-in-cov-19-vaccines>

These shots are bioweapons causing genocide. Someone needs to make this censored information known world wide. Please help Sharyl!

Reply

Stephen Triesch says

SEPTEMBER 14, 2021 AT 9:48 PM

What concerns me is that so many states - including several with high vaccination rates - are experiencing steep rises in infection rates, and some also in deaths. You would think that with a significant majority of the adult and vulnerable populations vaccinated, along with millions more with natural immunity from having survived the virus, that new outbreaks would involve far fewer numbers.

But that is not happening, and numerous states are seeing the highest number of new infections since the pandemic began, and that includes some states with high vax numbers. Is it possible - as some critics have predicted - that a premature rush to vaccination has actually hurt overall immunity, so that we keep "starting over," so to speak?

Reply

schutzhund says

SEPTEMBER 15, 2021 AT 8:09 AM

Where's the Flu????????????????????

Reply

A says

SEPTEMBER 15, 2021 AT 12:33 PM

The global facism surrounding the pandemic is appalling. What ever happened to informed consent.

Reply

Richard Hoard says

SEPTEMBER 15, 2021 AT 2:29 PM

I get paid more than \$90 to \$100 per hour for working online. I heard about this job 3 months ago and after joining this I have earned easily \$10k from this without having online working skills . Simply give it a shot on the accompanying site....<http://worksilver.cf/>

Reply

Richard Hoard says

SEPTEMBER 15, 2021 AT 2:33 PM

I get paid more than \$90 to \$100 per hour for working online. I heard about this job 3 months ago and after joining this I have earned easily \$10k from this without having online working skills . Simply give it a shot on the accompanying site..... <http://www.findpay1.com>

Reply

Ian Nowland says

SEPTEMBER 17, 2021 AT 12:56 PM

Under manufacturing concerns, you should probably update that Japan has had to reject batches of both Moderna and Pfizer vaccines due to quality issues.

Reply

Stephen Triesch says

SEPTEMBER 18, 2021 AT 9:35 PM

I've noticed that a lot of the critics of vaccine hesitancy focus on the far-out claims, like the vaccines are actually chip implants or will magnetize you or turn you into a radio transmitter. The serious claims about things like blood clotting and heart inflammation are usually ignored. This is even true of many conservative defenders of the vaccines.

Reply

Sharon Rondeau says

SEPTEMBER 19, 2021 AT 2:08 PM

The link under "Linda Wastila" at the top leads to a screen saying, "We're sorry. This document is not currently accepting comments on Regulations.gov."

Reply

Mike VandenDries says

SEPTEMBER 20, 2021 AT 7:21 AM

Sharyl, Have you seen this article from VaccineWars.com regarding Public Health Scotland (PHS) COVID report

<https://www.vaccinewars.com/2021-09-19-80-of-covid-19-deaths-vaccinated-people.html>

Reply

Christina Waldman says

SEPTEMBER 20, 2021 AT 10:19 AM

We hear about side effects on the female reproductive system because women are more willing to talk about such things than men, but let's not leave out the side effects on the male reproductive system. And what does that mean for the next generation?

Reply

Roux says

SEPTEMBER 20, 2021 AT 10:42 AM

My brother-in-law had the "vaccine" and later got Covid (fever and loss of taste and smell for 13 days) a month later he had appendicitis and spent a week in the hospital after it almost burst. Crazy.

Reply

Stephen Triesch says

SEPTEMBER 20, 2021 AT 2:48 PM

Here in Washington State, there's a pro-vaccine PSA on TV in which the spokesman says there is no evidence that the vaccines pose any kind of a threat to pregnant women or their children. At best, that is a claim from ignorance. At worst it is a denial of the fact that some adverse effects on pregnant women HAVE been reported, even though the connection may prove to be coincidental and not causal. However, I have also seen a couple of reports in which some researchers have found evidence of vaccines "leaching" into the cervix and uterus, with possible long-term harmful effects.

Reply

JungianINTP says

SEPTEMBER 21, 2021 AT 10:40 AM

Sharyl and Full Measure Team,

Just for this record—VERITAS video :

<https://forbiddenknowledgetv.net/federal-govt-hhs-whistleblower-goes-public-with-secret-recordings/>

-Rick

Reply

Andrea Kimbro says

SEPTEMBER 22, 2021 AT 11:45 AM

Sharyl,

Thank you for continuing to stand for the truth and share all sides of the information. I

found this website on Parler. <https://www.covidvaccinevictims.com>

What do you make of these stories and why aren't other news sources talking about these victims?

Reply

Bob T says

SEPTEMBER 24, 2021 AT 8:18 PM

https://www.lifesitenews.com/news/vaccines-for-kids-potentially-more-dangerous-than-covid-german-govt-report-indicates/?utm_source=top_news&utm_campaign=usa

Reply

Dr. John Wells says

SEPTEMBER 27, 2021 AT 12:31 PM

Nope. The experts all agree: the inoculation is innocuous... <https://youtu.be/SJES6MAoBk4>

Reply

Larry says

OCTOBER 4, 2021 AT 5:43 AM

Nope???

Reply

Sunshine says

OCTOBER 6, 2021 AT 7:55 AM

So sad you are a doctor and don't read. Check out VAERS and this site...

<http://vigiaccess.org/>

Reply



Sharyl Attkisson says

OCTOBER 6, 2021 AT 11:14 AM

I'm letting this comment appear even though it's false. As always, I encourage people to do their own research.

Reply



MtGrammy says

OCTOBER 8, 2021 AT 9:14 AM

Please watch this clip from 8-27-2021 of Dr Peter McCullough. It is long, but vital to our survival that more people know the truth of Covid and the vaccines. I know

your time is valuable, but many lives hang in the balance. Especially now that they are vaccinating 5 to 11 year olds. Please!

Reply



MtGrammy says

OCTOBER 8, 2021 AT 9:16 AM

<https://freedomfirstnetwork.com/2021/08/here-is-the-video-by-dr-peter-mccullough-that-is-changing-minds-about-the-vaccines>

Reply



Tom says

OCTOBER 11, 2021 AT 12:35 PM

Great parody.

Reply



MtGrammy says

SEPTEMBER 30, 2021 AT 4:02 PM

Please watch Sen Ron Johnson's whole statement. Back up clip to the 5:30 min mark to start listening. Don't let this get buried or deleted.

Senator Ron Johnson Presented On The Floor Of The Senate Data Out Of England And Israel Showing The Numbers Of Vaccinated That Are Dying Compared To The Unvaccinated..

<https://centipedenation.com/first-column/watch-senator-ron-johnson-presented-on-the-floor-of-the-senate-data-out-of-england-and-israel-showing-the-numbers-of-vaccinated-that-are-dying-compared-to-the-unvaccinated/>

Reply



Lisa Sorensen says

OCTOBER 4, 2021 AT 12:00 PM

I was wondering if anyone has followed any of this. <https://www.naturalnews.com/2021-10-01-ai-powered-dod-data-analysis-program-project-salus-shows-ade-accelerating-fully-vaccinated.html#>

Facebook won't allow posting there website details. Sharyl I'm wondering your thoughts, these studies look very credible.

[Reply](#)**Philaethes says**

OCTOBER 6, 2021 AT 11:21 AM

From an Italian ambulance doctor who responds to 911 (118) calls: The "vaccines" cause people to die from diseases they've already had and survived, which return and kill them after they've taken the jab.

"The cause-effect link is difficult to establish. Because it seems that each of these victims dies from the flare-up of things he already had. Therefore, these drugs kill in a subtle way, because the tip of the iceberg, the one you see above the sea, are the previous pathologies; the largest part, the one that is not seen, consists in the administration of these experimental drugs, which caused the revitalization and resurgence of these pathologies."

<https://voxday.net/2021/10/06/a-silent-and-dutiful-massacre>

Truly Satanic.

[Reply](#)**Jim Navotney says**

OCTOBER 7, 2021 AT 6:14 PM

When the covid hoax was created in 2020 i knew then it was merely a scare tactic in order to con the flock into voluntarily giving up liberty or worse but it wasn't clear what the ultimate goal was till months later.

The mass "free testing" gave it away to me immediately because they demanded ALL information about you in order to be "tested" and they took a sample of your DNA.

Then it hit me that this was merely a mass DNA registration scam.

Then the year 2030 and 2050 deadlines as well as the climate change hoax and the green new deal all seemed to converge.

The depopulation of the planet is the main goal of many billionaire think tanks around the world but they needed to have the cooperation of the people in order to carry it out.

So the covid 19 "vaccines" were born.

The perfect way to sterilize billions and kill off millions and with the media's help the people would happily line up by the millions for these genocide jabs.

The word "sustainable" is now used a hundred times a day on commercials, radio ads, news casts etc and what it REALLY means is having a "sustainable" world population.

Which according to most experts is less than a billion people.

[Reply](#)**Don Adkins says**

OCTOBER 7, 2021 AT 10:01 PM

The global depopulation plan is right on schedule thanks to the genocide jabs

Reply



Shannon says

OCTOBER 8, 2021 AT 1:46 PM

Hi Sharyl, readers,

Today I came across a link to Pfizer's clinical trial protocols:

https://cdn.pfizer.com/pfizercom/2020-11/C4591001_Clinical_Protocol_Nov2020.pdf

Remember earlier this year when there were reports of menstrual abnormalities among women even when they hadn't gotten a vaccine but were simply around someone who did? Including pre-menstrual girls as well as post-menopausal women? Initially it was denied as sounding too crazy, but eventually it was taken seriously and I believe was even reported in Newsweek. So... what could cause that?

Turns out, Pfizer's own instructions say to report Exposures During Pregnancy (EDP), including from inhalation and skin contact. This goes for women being exposed to someone who had the vax but also being exposed to others who were themselves exposed (so, 2 removed)! I'm quoting from pages 67 ff from the above link (I've added ** because I can't bold.) I believe SAE stands for "serious adverse event." Also note: Pfizer is keeping track of these, but they don't appear to be reporting outside (which I believe is the CRF)

8.3.5.1. Exposure During Pregnancy An EDP occurs if: • A female participant is found to be pregnant while receiving or after discontinuing study intervention. • A male participant who is receiving or has discontinued study intervention exposes a female partner prior to or around the time of conception. • A female is found to be pregnant "while being exposed or having been exposed to study intervention due to environmental exposure". Below are examples of environmental exposure during pregnancy: • A female family member or healthcare provider reports that she is pregnant after having been exposed to the study intervention "by inhalation or skin contact."

A male family member or healthcare provider who has been exposed to the study intervention "by inhalation or skin contact" then exposes his female partner prior to or around the time of conception. The investigator must report EDP to Pfizer Safety within 24 hours of the investigator's awareness, irrespective of whether an SAE has occurred. The initial information submitted should include the anticipated date of delivery (see below for information related to termination of pregnancy). • If EDP occurs in a participant or a participant's partner, the investigator must report this information to Pfizer Safety on the Vaccine SAE Report Form and an EDP Supplemental Form, regardless of whether an SAE has occurred. Details of the pregnancy will be collected after the start of study intervention and until 6 months after the last dose of study intervention. • If EDP occurs in the setting of environmental exposure, the investigator must report information to Pfizer Safety using the Vaccine SAE Report Form and EDP Supplemental Form. "Since the exposure information does not pertain to the participant enrolled in the study, the information is not recorded on a CRF; however, a copy of the completed Vaccine SAE Report Form is maintained in the investigator site file." Follow-up is conducted to obtain general information on the pregnancy and its outcome for all EDP reports with an unknown outcome. The investigator will follow the pregnancy until completion (or until pregnancy termination) and notify Pfizer Safety of the outcome as a follow-up to the initial EDP Supplemental Form. In the case of a live birth, the structural integrity of the neonate can be assessed at the time of birth. In the event of a termination, the reason(s) for termination should be specified and, if clinically possible, the structural integrity of the terminated fetus should be assessed by gross visual

inspection (unless preprocedure test findings are conclusive for a congenital anomaly and the findings are reported).

So how could there be a transmission through inhalation or skin contact? It reminded me of the study of vaccinated female mice who transmitted a fertility-inhibiting substance to other mice merely by being around them. Dr. Lee Merritt discusses that study in this interview;

<https://thenewamerican.com/covid-vaccine-shedding-hurting-unvaxed-dr-lee-merritt-explains/>

Speaking of Pfizer, by now you've likely seen the Project Veritas interview with the Pfizer whistleblower re: use of fetal cells in testing the vaccines:

<https://www.projectveritas.com/news/pfizer-leaks-whistleblower-goes-on-record-reveals-internal-emails-from-chief/>

James O'Keefe reports that he's receiving thousands of inquiries from potential whistleblowers. I bet you are too.

All best,
Shannon

[Reply](#)



PeterG says

OCTOBER 8, 2021 AT 7:14 PM

Excellent update job as always Sharyl. Thats a lot of work. A lot of Information..

[Reply](#)



Tom says

OCTOBER 9, 2021 AT 10:30 AM

I love your posts and what you do. Lots of baby, but occasionally there's a

Bathwater issue

The Vietnam report about higher viral loads in vaccinated people compared vaccinated people carrying Delta with unvaccinated people who carried the original strain. This is an apples and oranges comparison. A valid comparison would use data from the same time frame.

The Vietnam study is not useless, however. It clearly shows that vaccination doesn't reduce viral load or transmission, which has implications for vaccine mandates.

[Reply](#)

Tom says

OCTOBER 9, 2021 AT 10:45 AM



There's a potentially very interesting story you might do which could have implications for RICO lawsuits against pharma, the FDA, and the CDC. It might be enough to give some attorneys room during discovery to get access to emails.

I'll give you some of the material here.

Background

In Jan. 2020, the CDC advised for physicians to treat high risk patients early with antivirals, even before lab results were obtained. However, the FDA advised to only treat covid very late in hospitals in the context of clinical trials with HCQ, which is an antiviral.

So why the disparity in treatment times between the CDC and FDA?

The CDC pushed hard for late covid treatment studies of HCQ, which is strange considering their recommendation to treat influenza early with antivirals. Why didn't the CDC push hard for early treatment studies, which would be in line with their recommendation for influenza?

I asked these questions of [insert the names of CDC and FDA press people here].

Then you get some interviews where you ask these questions of the appropriate people. You find out who at the CDC were involved in the influenza treatment recommendation and who at the FDA were involved in the covid treatment recommendation. You find out who at the CDC were involved in pushing late treatment studies of covid with HCQ and who ought to have been pushing hard for early treatment studies of covid with HCQ. Then you ask them the questions which I previously expressed.

Dr. Peter McCullough might be able to provide you with some of these names.

If we can show fraud from pharma, the FDA, and the CDC, we might be able to get the courts to strike down protection for pharma's vaccines.

[Reply](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment

Name *

Email *

Website

POST COMMENT



SHARYL ATTKISSON

Under the same
circumstances today,
Trump would have
been:

- Impeached
- Prosecuted
- Impeached & prosecuted
- Supported
- Treated the same as Biden

Results ⓘ

Vote

Attention Free Thinker...

YOU CAN HELP!

Keep SharylAttkisson.com
Independent - Donate Today!

[Click to Donate](#)



International Fellowship
of Christians and Jews

STAND FOR ISRAEL



FREE FLAG PIN

[REQUEST TODAY](#)

LILICLOTH



COORDINATOR
OF THE ENTIRE
SHIT SHOW

SUBSCRIBE

Get the Latest Stories Straight to
Your Inbox

Type your full name*


Type your email*

GET THE DAILY DIGEST

RUMBLE

SUBSCRIBE to Sharyl's RUMBLE Channel at link:

<https://rumble.com/c/SharylAttkisson>



FOLLOW SHARYL ATTKISSON



RECENT COMMENTS

- > JungianIOTP on [Another fake fact check from Facebook's "Science Feedback": this one about Amish Covid-19 immunity](#)
- > Mr Miller on [\(VIDEO\) Vaccine Mandates](#)
- > Tina on [\(POLL\) Most people live in fear of: Government](#)

PAGES

[Home](#)
[About](#)
[Podcast](#)
[Support](#)
[Contact](#)
[Sitemap](#)

2NDARY PAGES

[Full Measure Stations](#)
[Privacy Policy](#)
[Terms of Use](#)
[Subscribe to SharylAttkisson.com](#)

SPECIAL INVESTIGATIONS

[Attkisson v. DOJ/FBI](#)
[Benghazi](#)
[Election 2020](#)
[Fake News](#)
[Fast & Furious](#)
[Obamacare](#)

AD

AD
